INSTRUMENTS AND EXPERIMENTAL TECHNIQUES
Volume 16, Numbers 1-6, 1973

(A translation of Pribory i Tekhnika Éksperimenta)

Volume 16, Number 1, Part 1 January-February, 1973

	Engl./Russ.	
Principles of Designing Digital Time-Interval Meters (Review)—A. K. Kovtun and A. N. Shkuro	1	7
Increasing the Intensity of the Beam from a Linear Proton Accelerator—V. A. Batalin, I. M. Kapchinskii, A. A. Kolomiets, B. K. Kondrat'ev, R. P. Kuibida, V. S. Kuznetsov, N. P. Kuznetsova, and G. I. Trubnikov	9	15
A Proton Generator—V. V. Surenyants, I. T. Sidorov, and A. T. Davydov	14	19
Compact Tube with a Cold Cathode for Obtaining Nanosecond Pulses of Fast Electrons N. G. Pavlovskaya, T. V. Kudravtseva, N. A. Dron', G. N. Sloeva, and L. V. Tsvetkov	18	22
Secondary-Emission Monitor of the Position and Current of a Beam of Accelerated Electrons —I. A. Prudnikov, A. S. Toropov, and Yu. F. Chichikalov	21	24
Scanning a Beam of Ions That Have Been Accelerated in a Cyclotron—G. M. Gusinskii, L. F. Ivantsov, and I. Kh. Lemberg	24	27
Installation for Obtaining a Jet Target, Which Operates from the Interval Beam of an Accelerator —V. D. Bartenev, A. A. Belushkina, A. I. Valevich, V. I. Gai, A. M. Gorelov, V. P. Ershov, L. S. Kotova, V. A. Nikitin, Yu. K. Pilipenko, and V. V. Smelyanskii	28	30
On Recording the Processes of Photoproduction of π^- Mesons on Nuclei —V. D. Epaneshnikov, V. M. Kuznetsov, and O. I. Stukov	32	34
Representation of Amplitude Distributions in a Scale Proportional to the Square Root of the Energy—E. D. Vysotskii and A. S. Pan'kov	35	36
Amplitude Analysis of Stream of Particles from an Extensive Atmospheric Shower —A. N. Gadalov, I. I. Kaganov, and A. A. Silaev	39	39
Electrostatic Toroidal Analyzer for Investigations of Streams of Charged Particles in Cosmic Space—G. I. Volkov, G. N. Zastenker, V. F. Kopylov, Yu. N. Pozdnov, A. P. Remizov, and M. Z. Khokhlov	43	43
On the Possibility of Measuring the Linear Polarization of Cosmic Gamma-Quanta by Means of the Compton Effect—A. M. Gal'per and V. Yu. Miloserdin	46	45
The Effecto of the Shape of the Radiators on the Energy Resolution of Cerenkov Shower Spectrometers—A. A. Varfolomeev, V. I. Glebov, and É. I. Denisov	49	48
Shape of the Line of a Neutron Spectrometer That Incorporates a Stilbene Crystal —L. A. Trykov, N. D. Tyufyakov, and Yu. V. Fadeev	53	51
Universal Scattering Chamber with Remote Control—G. B. Andreev, V. I. Borovlev, V. E. Koloberdyan, I. D. Lopatko, R. P. Slabospitskii, and S. Ya. Chekanov		56
Streamer Chamber Having the Dimensions 100 × 60 × 40 cm in a Magnetic Field —A. I. Alikhanov, M. S. Ainutdinov, V. A. Artem'ev, V. M. Knyazev, I. I. Pershin, and V. A. Soloshchenko	61	58
Identification of Charged Particles in a Freon Bubble Chamber—N. V. Goncharov, A. I. Derebchinskii, O. G. Konovalov, S. G. Tonapetyan, and V. M. Khvorostyan	64	61
On the Destruction of a Film Electrode in a Spark Chamber—E. V. Kozhanov, N. N. Nurgozhin, and T. N. Nurzhakipov	67	63

Increasing the Speed of Response of a Counting Channel with Halide Gamma-Quantum and Beta-Particle Counters—A. N. Shishmolin, B. M. Kolesov, G. I. Ganichev, Yu. S. Kreknin, A. K. Ovchinnikov, V P. Bobrovskii, and V. A. Podpoyaskin	69	65
Integral-Pulse Ionizing-Radiation Detectors—A. B. Dmitriev, I. N. Kryukova, A. I. Filatov, and V. V. Pravotorov	71	67
Gas-Discharge Spectrometric Proportional Counter with a Lock Chamber —G. I. Savel'ev and K. N. Shlyagin	73	68
Proportional X Radiation Counter with an Unlimited Operating Service Life —E. F. Klyukvina, V. G. Chaikovskii, and E. P. Bogatova	76	71
Radiation Service Life of Encapsulated Proportional Counters—V. R. Al'perovich, A. S. Il'in, and L. Ya. Morgovskii	78	73
The Fabrication of 4π—Ge(Li)-Detectors—Ts. Bylov, V. V. Kuznetsov, B. P. Osipenko, D. Srnka, and Ya. Yurkovskii	81	75
Scintillation Single Crystal Time Spectrometer—V. A. Morozov and T. M. Muminov	85	79
Time and Amplitude Characteristics of Scintillation Counters Under Conditions of Large Pulse Loadings—M. Yu. Kazarinov, R. Lyaiste, Yu. P. Merkov, V. I. Petrukhin, A. I. Ronzhin, N. N. Khovanskii, and Z. Tsisek	88	81
Electron-Optic Installation for Investigating the Time Parameters of Scintillators —A. S. Ganeev, G. A. Ivanov, D. N. Kulakov, V. M. Popov, and A. I. Svalukhin	92	85
Dependence of the Luminescence Yield of a Plastic Scintillator on the Energies of Electrons and Protons—Yu. A. Kulinich, V. G. Rukavishnikov, Yu. V. Semenov, and M. T. Chineikin	95	87
On the Dependence of the Parameters of Scintillation Blocks on the Relationship between the Dimensions of the Crystals and the Photomultiplier—O. P. Sobornob and G. A. Fedoseev	99	90
Engineering and Absolute Luminescence Yields of Luminescent Plastic Based on Polystyrene—L. I. Zlobin and G. L. Moroz	102	92
Determination of the Saturation Current in an Ionization Chamber from Two Experimental Points—N. G. Volkov, G. M. Gorbachenko, and V. K. Lyapidevskii	105	94
Bremsstrahlung Fluxmeter—Yu. A. Aleksandrov, V. A. Kozlov, A. V. Kutsenko, V. N. Maikov, and V. V. Pavlovskaya	108	96
ELECTRONICS AND RADIO ENGINEERING		
Preliminary Handling of Information during Recording in a Memory of the Integrating Type —N. N. Balamatov and V. S. Turin	111	99
A Large-Capacity Memory Based on Linear Matrices—A. G. Grachev	113	101
The BD-9 Integral Discriminator in the Circuit of a Fast-Neutron Scintillation Detector —E. A. Ivanov and V. V. Usatyuk	117	105
Two Binary Counters in the Camac Standard Based on Microcircuits—N. M. Nikityuk and E. V. Chernykh	119	106
A Nanosecond Coincidence Circuit—R. G. Karimov, V. M. Klimkin, and I. I. Murav'ev	122	109
Nanosecond Transistor Switch—M. V. Korolev, Yu. A. Kondrat'ev, O. G. Galkin, and Yu. A. Karminskii	124	110
Digital Display Devices Based on Microelectronics Elements—E. K. Burkov, M. I. Lerner, V. N. Panteleev, and A. G. Ryzhevskii	127	112
Characteristics of Amplitude Discriminators Based on Transitors Which Operate in an Avalanche Mode—V. V. Kovalev and V. I. Markov	130	114
Selective Amplifier with a Synchronous Integrator—A. V. Ipatov and A. B. Berlin	134	118
Distortion of the Shape of the Heterodyne Voltage Across the Barrier Layer of a Semiconductor Diode—K. E. Mirakov	137	120
Operation of A 16-Digit Angle-Gray Code Transmitter Without a Converter —I. V. Naumov and A. E. Golovin	139	121
Panoramic Measurement of the Coupling Resistance of Slow-Wave Systems by the Heterodyne Method—Chan Dyk Han and S. M. Korolev	143	124

Estimating the Degree of Approximation of a Distribution Law to the Gaussian Law —E. V. Aleksenko and G. I. Filippov 145 126
Setting the Zero Level for Operation of a Threshold Circuit—A. V. Blokhin 148 128
Device for Obtaining the Distribution Functions of Random Processes—Yu. S. Radchenko and Yu. V. Yasyrev 150 129
Simple Method for Oscillographing Energy Spectra—A. F. Kivshik, A. F. Bats, and V. F. Pilipenko 152 131
Controllable Noise Generator Based on an Avalanche-Drift Diode—A. I. Zakhodyakin 154 132
Generator Producing a Low Direct Current—V. I. Karlashuk and V. A. Kotel'nikov 155 133
Transistorized High-Frequency Oscillator for a Unipolar Mass-Spectrometer —V. Kh. Teslenko and N. N. Babrov 158 135
Power Supply Circuit for a Pulsed Plasma Electron Source—A. I. Gladskikh and V. E. Shlyakhtun 160 136
Pulsed Stable High-Pressure Spark Gap—É. A. Avilov, N. V. Belkin, A. V. Dudin, A. P. Zykov, M. A. Kanunov, and A. A. Razin 162 137
Commutation of Spark Gaps By Means of a Pulsed Gas Laser Operating in the Ultraviolet Range—E. A. Lenberg, Yu. V. Tkach, I. I. Magda, N. P. Gadetskii, and V. Yu. Abramovich 165 140

Volume 16, Number 1, Part 2 January-February, 1973

Time Characteristics of Spark Gaps that Are Initiated by a Laser Flash —Yu. A. Kurbatov and V. F. Tarasenko 169 142
Pulse Circuits Based on Integrated Avalanche-Recombination Diodes—V. P. D'Yakonov 172 144
Coaxial Shunt for Measurement of Large Pulse Currents—N. I. Fal'kovskii 176 147
Investigation of the Possibilities of Designing Automatic Gain Control via Photoelectron Multiplier Noises—G. A. Aver'yanov, A. S. Voronov, and E. G. Lebed'ko 179 150
Measurement of the Permittivity of a Liquid by the Pulse Waveguide Method—L. I. Kats and V. V. Purtov 182 153
Installation for Observing Weak NMR Signals by the Phase-Quantization Method —N. N. Dzbanovskii, V. P. Komolov, Yu. S. Konstantinov, V. Yu. Maslov, V. A. Roznyatovskii, and I. T. Trofimenko 186 156
Michelson Interferometer for Investigations in the Submillimeter Range of the Spectrum —F. F. Igoshin, A. P. Kir'yanov, V. V. Mozhaev, M. A. Tulaikova, and A. A. Sheronov .. 189 159
Compact Stabilized Power Supply for a Photoelectron Multiplier Having the Voltage Range 0.8 to 2.2 kV—A. P. Mel'nikov and B. V. Osyka 192 161

GENERAL EXPERIMENTAL TECHNIQUES

Three-Dimensional Quadrupole Mass-Spectrometer with Sweep of the Mass Spectrum by Variation of the Frequency of the Supply Signal—É. P. Sheretov, V. A. Zenkin, V. F. Samodurov, and N. D. Veselkin 194 163
Ion-Electron Converter for a Three-Dimensional Quadrupole Mass-Spectrometer with Storage —É. P. Sheretov, V. F. Samodurov, and N. P. Kapova 197 166
Noise-Immune Ionization Manometer for Pressures of 10^{-9}-10^{-3} torr—V. I. Vinogradov, V. T. Grinchenko, and V. V. Pichugin 199 167
Tab-Type High-Speed Vacuum Lock—B. M. Zaikin, T. A. Kuramshin, and V. G. Farafonov ... 204 171
Device Having a Selective Membrane for Mass-Spectrometric Monitoring of Vacuum-Tightness —I. G. Baryshnikova, L. E. Levina, V. V. Pimenov, and V. E. Stadnik 206 172
A Magnetic-Discharge Helium Indicator—V. V. Goloskokov, V. T. Kuz'mina, L. E. Levina, V. V. Panyushkin, and V. V. Pimenov 209 175
One the Shape of the One-Electron Pulse from a Photoelectron Multiplier—E. I. Shubnikov and F. M. Subbotin 214 179

Pulsed Source of a Continuous Spectrum for Flash-Photolysis—B. P. Dymov, O. M. Kaplii, D. Yu. Stupin, and V. N. Tezikov 217 181
Nitrogen Laser with a Longitudinal Discharge and a High Specific Power—V. F. Tarasenko and Yu. A. Kurbatov 219 182
Nitrogen Laser with a Transverse Discharge—V. F. Tarasenko and Yu. I. Bychkov 221 183
Electroionization Pulsed CO_2—Laser—V. A. Danilychev, O. M. Kerimov, and I. V. Kovsh 223 184
Ring Cavity Resonator for the Analysis of the Spectral Composition of the Radiation from a CO_2 Laser—A. S. Osipov, G. A. Ponomarev, Yu. P. Maiboroda, V. K. Batalin, V. G. Kurganov, and V. A. Levada 225 186
Pulsed Gas Lasers Based on Vapors of Nonvolatile Substances—A. A. Isaev, M. A. Kazaryan, and G. G. Petrash 228 188
Cooled Illuminator for Investigating Ruby Lasers—A. M. Leontovich, A. M. Mozharovskii, and V. N. Somorchkov 230 189
High-Speed Recording of the Raman-Scattering Spectra of Liquid and Gases—V. B. Podobedov, A. M. Pyndyk, and Kh. E. Sterin 232 190
Installation for Studying the Phosphorescence-Decay Kinetics of Complex Organic Molecules —G. S. Kvater, E. D. Mishchenko, and V. Ya. Oginets 236 193
Installation for Investigating the Optical Properties of Solids in the Vacuum Ultraviolet Range —A. Ya. Aber, A. N. Trukhin, V. N. Trukhin, and V. P. Khimov 238 194
Installation for Studying Circular Dichroism—N. I. Mel'nikov, V. A. Khramtsov, and R. A. Zhitnikov 240 196
Measurement of the Optical Constants of the Interface between Two Media — O. M. Artamonov and Yu. I. Asalkhanov 243 198
Measurement of the Optical Density of Liquids by Means of Scanistors—P. I. Gos'kov and G. A. Zheltovskii 246 201
Design of Light-Beam Modulator-Splitters with Two Jointly Rotating Elements —B. A. Kriman 249 203
Automation of Optical Measurements by Points in the Far Infrared Range—L. K. Vodop'yanov, V. D. Kopanev, and E. A. Vinogradov 252 206
Measurement of the Power of Light Flux Having a Wavelength of 0.6328μ by Means of an FD-7k Photodiode—V. V. Dobyrn and A. I. Platunin 255 208
Direct Method of Determining the Transthreshold Susceptibility for Excitation of Spin Waves in Ferrites—M. A. Sigal 256 209
Strain-Gauge Anisometer for Measurement of the Energy Constants of Magnetic Crystallographic Anisotropy—S. P. Kuntsevich and V. P. Palekhin 259 211
Magnetometer for Determining the Magnitude and Direction of the Magnetization in Anisotropic Crystals—A. N. Bazhan, A. S. Borovik-Romanov, and N. M. Kreines 261 213
Automatic Scales for Studying Magnetic Susceptibility—Yu. R. Kolesov, I. N. Ivleva, N. A. Zelenov, A. K. Tuflin, Yu. G. Borod'ko, and L. N. Gal'perin 265 217
Stroboscopic Magnetooptical Installation for Studying Pulsed Magnetic Reversal of Magnetic Films—O. S. Kolotov, M. I. Lobachev, and V. A. Pogozhev 267 218
Elimination of Sidebands Due to the Rotation of the Sample in an NMR Spectrometer Having a High Resolution which Incorporates a Superconducting Magnet—V. A. Zabrodin, I. S. Krainskii, V. B. Nazarov, and L. N. Gal'perin 269 220
Effect of the Intrinsic Magnetization of the Winding Material on the Field Distribution in a Superconducting Solenoid—I. A. Baranov, V. F. Vasil'chenko, G. A. Kupchinova, and N. F. Kupchinov 271 222
Installation for Optical Investigations under High Pressure at Liquid-Nitrogen Temperatures —W. Buinowski, S. Porowski, and A. I. Laisaar 274 224
Echo-Pulse Installation for Ultrasonic Investigations—Kh. K. Aliev, E. I. Vasyuta and I. K. Kamilov 279 229
Monitoring Anisotropic Dielectric Rods with Paramagnetic Impurities on the Basis of ESR —L. N. Dranov, D. A. Kichigin, and É. A. Chernina 281 231

Installation for Crucible-Free Zonal Melting of Gallium Phosphide—S. Dorzhkhand, Yu. L. Il'in, and A. I. Livshits 284 233
Process of Obtaining Bicrystals of Refractory Metals, and Their Structure —A. A. Yastrebkov, and V. M. Lakeenkov 286 235
Gun for Cleaning Surfaces of Solids by Means of Ion Bombardment—V. M. Artemov, D. V. Iremashvili, and A. I. Shimko 288 237
Electron Gun for Shaping an Intense Wedge-Shaped Electron Beam—N. D. Simachev and S. N. Treneva 291 239
Vacuum-Deposition of Films of Oxide Compounds in an High-Frequency Glow Discharge —M. V. Miliyanchuk, V. G. Savitskii, R. N. Kovtun, E. V. Dorozhko, and O. A. Sivoronov 294 242
Vaporizer of Finely Dispersive Substances—S. P. Oles'kiv and D. M. Freik 297 244
Contactless Meter for Measuring the Transverse Velocity of a Diffuse Surface —N. I. Eskin and S. M. Kozel 299 246
Installation for Recording Microdisplacements of a Liquid at a Stipulated Point of the Volume According to the Tracking-Raster Method—S. N. Bazhenov and V. K. Ridiger 301 247
Fabrication of Microcapillaries in Metallic Plates—I. I. Markov and A. P. Khaimenov. 304 250
Cone of Liquid with a Stepped Variation of the Density—M. Ya. Kats 305 251
High-Speed Automatic Pen-Recording Instrument—A. L. Semenyuk and V. V. Khomtsov 306 252

ABSTRACTS

System of Wire Spark Chambers with Memory Based on Ferrite Rings—L. S. Azhgirei, V. V. Asanov, L. V. Budkin, V. A. Bychkov, A. S. Kuznetsov, G. D. Stoletov, and A. F. Filozov 309 255
High-Speed Converter for Converting a Parallel Code into a Sequential Code and a Sequential Code into a Parallel Code—V. D. Dvornikov, O. D. Efremov, and L. I. Yudin 311 256
Mass-Spectrograph for the Analysis of Microimpurities—Ya. R. Abas-Ogly, S. A. Aboyan, Ya. I. Borukhovich, A. S. Voznyuk, N. I. Leont'ev, O. G. Lobzhanidze, A. I. Martynov, M. S. Kharchenko, and M. P. Khreshtagyan 313 256
Phase Responses of a FÉU-28 Photomultiplier in the High-Frequency Heterodyning Mode —K. A. Gulgazaryan 314 257

REVIEWS OF INSTRUMENTS

Recording Device of an MS-10K Mössbauer Spectrometer Based on an AI-256-1 Analyzer for Performing Measurements in the Constant-Velocity Mode—V. V. Kitaev, G. D. Batyshchev, and A. P. Lebedev 315 258
Utilization of a Multichannel AI-256-1 Analyzer for Storage and Preliminary Handling of Information—V. A. Volkov, R. G. Ramazanov, and V. A. Gorozhanin..... 318 260
Improving the RÉ-1301 Radiospectrometer—A. Ya. Asinovskii, O. V. Nikitina, and S. M. Sukharzhevskii 321 262
Attachment to the URS-50I Diffractometer for Investigating a Substructure According to the Berg-Barrett-Weissman Method—E. A. Pavlovskaya and V. I. Zaitsev 323 263
Extraction of Digital Information from the Dron-1 Diffractometer onto Punched Tape for Input to an Electronic Computer—A. A. Rusakov, I. V. Matsegorin, O. B. Tarutin, and V. A. Kut'enkov 325 265
Monitoring the Thickness of Epitaxial and Dielectric Films on Spectrophotometers —L. D. Buiko, P. P. Goidenko, and V. M. Koleshko 327 266
Controlling the Heating Rate by Means of an ÉPP-09 Automatic Recording Potentiometer —V. A. Tochin and R. A. Shlyakhov 330 268

NEW INSTRUMENTS

Compact F210 Digital Instruments—B. A. Dulepov, É. A. Kleiner, and Yu. S. Mal'tsev 332 269
Compact F207 Indicators—Yu. S. Mal'tsev and D. I. Stefaneev 333 270
The F209 Digital Millisecond Meter—A. N. Lamert, Yu. S. Mal'tsev, A. K. Spiridonov, and L. V. Timoshevskaya 333 270

Scaling Decade Based on Integrated Circuits—V. M. Nekrasov 334 271
Phasemeter Attachment to Batch Manufactured Digital Frequency Meters—S. S. Kuznetskii, M. K. Chmykh, S. B. Shestak, V. V. Kravchenko, A. E. Teterin, and A. M. Fishtein 335 271
Electrometric Amplifier for Investigating Photoconductivity—N. N. Korotaev and A. N. Zykin . 335 272
Highly Stable G-4 Instrumentation Oscillator—M. S. Roitman, V. R. Tsibul'skii, and V. A. Butenko 336 272
Controlled Current Stabilizer for 1000 A—V. F. Lomovtsev, F. S. Frantsishko, I. I. Brodskii, V. Ya. Pakhomov, and Yu. F. Dushin 336 273
Liquid He Level-Meter—V. V. Permyakov, N. N. Kovriga, N. M. Kordonskaya and V. V. Akimov 337 273
Bellows Pump for Pumpover of Gases—B. Ya. Gornshtein 338 274
VÉU-1 and VÉU-2 Secondary-Electron Multipliers—M. R. Ainbund, G. S. Vil'dgrube, and N. V. Dunaevskaya 339 275
Channel Secondary-Electron Multiplier—M. R. Ainbund, G. S. Vil'dgrube, N. V. Dunaevskaya, and Yu. A. Kolosov 339 276
Installation for Obtaining a Powerful Magnetic Field at Room Temperature—I. F. Vatulin, V. I. Grineva, A. N. Melyus, S. I. Milyutin and V. V. Permyakov 340 276
SM-72 Installation for Obtaining a Powerful Magnetic Field—G. G. Grinev, V. I. Kurochkin, I. F. Vatulin, V. A. Yadroshnikov, A. G. Demishev, and V. V. Permyakov 341 277
RSM-500 X-Ray Spectrometer-Monochromator—G. M. Koroleva 342 278
F5043 Electronic Frequency Meter—G. M. Koroleva 343 279
F584 Electron Voltmeter—G. M. Koroleva 343 279
APPENDIX i

Volume 16, Number 2, Part 1 March-April, 1973

Slow-Neutron Detectors that are Sensitive to the Spot of Particle Passage (Review)—Sh. Deme and Yu. N. Pepelyshev 345 7
Laser-Radiation Reducers (Review)—G. L. Voronkov 354 16

NUCLEAR EXPERIMENTAL TECHNIQUES

50 MeV Betatron for Physics Research—Yu. I. Prokopchuk, Yu. A. Sedov, V. I. Strizhak, M. R. Aleksandrovskii, and B. B. Gel'perin 361 23
"Neptune" High-Current Pulsed Relativistic-Electron Accelerator—S. S. Kingsep, G. P. Maksimov, Yu. L. Sidorov, V. P. Smirnov, and A. M. Spektor 364 26
Obtaining Short Pulses of Ion Current on a Van-De-Graaf Accelerator—V. N. Kononov, A. A. Metlev, E. D. Poletaev, V. I. Volodin, and V. N. Kanaki 367 29
Negative-Ion Injector of an Electrostatic Charge-Exchange Accelerator—V. T. Golubev, V. L. Komarov, G. A. Nalivaiko, G. M. Tokarev, and S. G. Tsepakin 370 32
High-Current Electron Gun for Operation in Powerful Magnetic Fields—M. Yu. Bredikhin, A. I. Maslov, E. I. Skibenko, and V. B. Yuferov 373 34
Proton-Electron Injector (PÉI-30)—P. S. Markin, A. A. Tsygikalo, F. P. Sanin, and E. I. Anpilogov 376 37
Ion Source with a "Long" Anode—S. G. Konstantinov, O. K. Myskin, and F. A. Tsel'nik 378 38
Display of Current Micropulses at Various Radii of a Cyclotron—V. D. Dvornikov, V. A. Rezvov, and L. I. Yudin 381 41
Piezoacoustic Pickups for Measurement of the Parameters of Charged Particles—E. V. Armenskii, V. K. Emel'yanov, V. M. Rybin, N. A. Nikolaev, and A. I. Tokarev 385 44
Measurement of the Current and Shape of Electron-Beam Pulses—A. I. Borodulin, V. K. Emel'yanov, N. A. Nikolaev, V. M. Rytin, V. P. Shestak, and A. P. Tsyplyakov ... 388 47

Secondary-Emission Monitor Based on Delta-Electrons—V. A. Gol'dshtein, I. M. Arkatov, and V. I. Startsev	391	50
Approximate Calculation of a Triplet of Quadrupole Lenses—G. D. Alkhazov	393	52
Orientation of a Single-Crystal Target in a Goniometer Relative to a Beam of High-Energy Electrons—V. G. Gorbenko, Yu. V. Zhebrovskii, N. A. Kovalenko, L. Ya. Kolesnikov, and A. L. Rubashkin	396	54
Fluorphlogopite Single Crystal as a Long-Wave Neutron Monochromator—F. M. Zelenyuk, K. N. Zaitsev, A. V. Timakov, I. N. Anikin, S. I. Matveev, V. E. Zhitarev, and S. V. Stepanov	399	57
Magnetic Spectrometer for Recording Particles in the Range up to 4 GeV/c—L. O. Abramyan, A. O. Agan'yants, F. V. Adamyan, G. A. Vartapetyan, V. D. Danielyan, N. A. Demekhina, M. Kh. Izraelyan, G. Kh. Kazaryan, A. N. Lebedev, Zh. V. Manukyan, É. G. Muradyan, A. K. Movsesyan, A. M. Sirunyan, A. G. Khudaverdyan, and L. S. Khurshudyan	402	60
Consideration of the Background during Gamma-Resonance Phase Analysis of Materials Containing Iron—A. V. Dolenko, V. P. Korneev, and A. A. Melik'yan	405	62
Installation for Recording Neutral Mesons According to Decay Gamma-Quanta—G. N. Dudkin, V. N. Eponeshnikov, and Yu. F. Krechetov	407	64
Television Complex for Takeoff of Information from Narrow-Gap Spark Chambers—V. P. Gorokhov, V. I. Gorelova, V. A. Klevalin, and A. V. Petrakov	410	67
Scintillation Hodoscope for a Magnetic Spectrometer—L. L. Abramyan, A. O. Agan'yants, G. A. Vartapetyan, N. A. Demekhina, M. Kh. Israelyan, A. N. Lebedev, É. G. Muradyan, and A. G. Khudaverdyan	414	71
Singularities of Using Crystal Scintillators in Neutron Spectrometers—L. A. Trykov and N. D. Tyufyakov	416	73
On the Possibility of Controlling the Sensitivity of a Photographic Emulsion by Means of an Electric Field—V. I. Kalashnikova, A. A. Kolyubin, and B. D. Lemeshko	420	76
ELECTRONICS AND RADIO ENGINEERING		
Prolonged Monitoring of an Experimental Installation by Means of Semiconductor Radiators—Yu. A. Aleksandrov, V. A. Kozlov, A. V. Kutsenko, V. N. Matikov, and V. V. Pavlovskaya	422	79
Commutator for Data Readout—A. A. Silaev	424	81
Multifunctional Logical Nanosecond-Electronics Modules Based on Integrated Microcircuits—Yu. B. Bushnin, A. F. Dunaitsev, and V. A. Sen'ko	427	83
Current-Voltage Converter with Automatic Switching of the Scales—D. A. Rossoshinskii and V. G. Tsyvinskii	430	86
Time-Scale Converter—E. N. Belov, N. E. Zhorov, and A. K. Solov'ev	433	89
Majority 12-Input Coincidence Circuit—Yu. B. Bushnin and A. F. Dunaitsev	437	93
Pulse Discrimination According to the Rise Time—I. R. Barabanov and O. V. Syuntyurenko	440	95
Scaling Instrument with Compensation of Missed Counts—Yu. V. Rodnov and A. N. Sytin	443	98
Binary-Decimal Pulse Counter with a Low Energy Consumption—V. T. Koniovskii and R. A. Markova	447	101
Elimination of Channel Difference in the Amplifier Paths of Matrix Photoreceivers—A. V. Grachev, V. A. Druchevskii, B. V. Poletaev, and V. A. Seliverstov	450	104
Protection of a Photoelectric Channel From Background and Diffusion Interference—G. A. Aver'yanov, A. S. Voronov, and I. N. Safronov	453	106
Generator Producing Rectangular Voltage Pulses Having an Amplitude of 50 kV—S. S. Kingsep and V. P. Smirnov	456	109
Spark Gap with Start from an Electrical or Light Signal—V. A. Frolov and P. A. Tarasov	458	110
Inductive Relaxation Oscillators Based on Avalanche Transistors—V. P. D'yakonov and A. A. Sterlyagov	460	112

Pulsed Stretcher—M. I. Vakhrin and V. P. Sergeev 463 114
Peak Voltmeter for Single Nanosecond Pulses—S. I. Vlasenko 465 116
Digital Vectograph—I. I. Zadubovskii, B. N. Krasnogolovyi, and V. D. Rudenko 467 117
Elements of the Input Stage of Low-Noise Preamplifiers—N. Ya. Sedov and Yu. S. Blinnikov 472 122
Light Feedback in a Low-Noise Preamplifier—V. A. Tret'yakov and L. A. Popeko 476 125
Frequency Doubler for Low Frequencies—V. M. Katsman 479 127
Pulsed NMR Spectrometer for Measuring Self-Diffusion in Gases—P. G. Zykov, A. S. Rasponin, and P. E. Suetin 481 129
Broadband Nuclear Magnetometer—M. M. Karliner, V. I. Kushnir, and A. S. Medvedko 485 132
Radiospectroscope with a Resonant Absorption Cell for Investigating Gas-Phase Molecules in the Millimeter Range—A. E. Basharinov and A. A. Kalinkevich 488 134

Volume 16, Number 2, Part 2 March-April, 1973

Phase Measurement in the Submillimeter Range of Wavelengths—L. N. Vershinina 493 138
Determination of the Variation of the Reflection Coefficient of Absorptive Coatings in the Millimeter Range of Wavelengths—O. G. Petrosyan 496 141
Measurement of the Refractive Index at Submillimeter Wavelengths—V. V. Meriakri and E. F. Ushatkin 498 143
Visualization of the Amplitude-Phase Structure of Electromagnetic Fields in the Millimeter and Submillimeter Ranges—A. A. Vertii and V. I. Shestopalov 501 145
Automatic System for Measuring Orientational Effects—V. M. Kolyada and V. A. Arkhipovich 503 147
Method of Measuring the Absorption of Ultrasound in Semiconductors—S. N. Ivanov, G. D. Mansfel'd, and E. N. Khazanov 506 149
Oscilloscopic Installation for Research in the Field of Semiconductor Microwave Electronics—V. I. Zhavoronkov, P. I. Chilikin, and S. I. Zhavoronkov 508 151
Installation for Nondestructive Measurement of the Secondary-Breakdown Parameters in Transistors—A. A. Baizdrenko, V. A. Gusev, V. I. Proskurnya, and A. A. Testoedov 512 154
Parameters and Energy Resolution of KP303 Field-Effect Transistors at Low Temperatures—V. A. Tret'yakov and T. I. Pavlova 515 156
KP303 Field-Effect Transistor in a Soft-Gamma-Radiation Spectrometer—V. A. Tret'yakov, L. A. Popeko, T. I. Pavlova, and N. P. Afanas'eva 518 159

GENERAL EXPERIMENTAL TECHNIQUES

Ultra-High-Vacuum Heated Installation—L. S. Palatnik, A. I. Fedorenko, M. V. Lebedeva, and M. Yu. Usenko 521 161
Measurement of the Intensity of a Molecular Beam According to the Condensation Temperature—A. M. Zatselyapin 523 163
Laser Spectrometer for Raman Scattering—M. V. Belousov, S. V. Karpov, V. S. Larionov, and A. A. Shultin 526 166
Spectrophotometric Installation with a Detector in the Individual-Photon-Count Operating Mode—E. A. Andreeshchev, S. F. Kilin, and Yu. P. Kushakevich 529 168
A Powerful Pulsed Light Source—O. M. Batovskii 532 171
Excitation Characteristics of Certain Light-Pulse Sources—G. S. Dragun 535 173
Visual Observation of the Field Pattern of the Radiation from a CO_2 Laser—B. M. Bulgakov, M. M. Bykov, E. B. Nadueva, and A. I. Fisun 537 174
Increasing the Service Life of a CO_2 Laser—N. S. Leshenyuk and L. N. Orlov 539 175
Characteristics of Germanium and Tellurium Mirrors for the Cavity of a CO_2 Laser—V. V. Berezovskii 540 176
Measurement of the Shape of a Laser Pulse—V. A. Pilipovich, A. A. Kovalev, Yu. V. Razvin, and B. N. Tyushkevich 541 177

	Engl.	Russ.
Oscillographic Recording of the Appearance of OFF-Axial Modes in a Gas Laser — Yu. V. Troitskii	544	179
Lamp Pumping System for Lasers Based on Solutions of Organic Compounds — Yu. A. Yanait, Yu. M. Antisimov, and V. I. Pchelkin	546	181
Use of Interference Filters for Optical Monitoring during the Vacuum Deposition of Reflecting Coatings — L. A. Skuratov, Yu. I. Stepanov, and A. V. Shirkov	549	184
Investigation of Thermal Deformations by Methods of Holographic Interferometry — A. S. Bogomolov, N. G. Vlasov, and E. G. Solov'ev	551	185
A Multichannel High-Speed Photoelectric Micropyrometer — A. N. Kolesnichenko, S. V. Priimak, A. V. Pustogarov, and A. V. Khromov	553	187
A Broadband Cooled Photoreceiver — N. V. Zamkovets, V. A. Kurbatov, and N. N. Sibel'din	556	190
Measurement of the Characteristics of Metallic Bolometers — V. Ya. Gubarev, N. P. Kozlov, and Yu. S. Protasov	559	193
A Photoreceiver with a Dynamic Range of 90 dB Based on a Photomultiplier — E. I. Gorodilov, V. A. Druchevskii, B. V. Poletaev, and V. A. Seliverstov	561	194
A High-Pressure Chamber for Optical Investigations at Low Temperatures — V. V. Nefedova and A. P. Minin	565	198
Dielectric Pulsed-Pressure Pickup — N. A. Fot, V. P. Alekseevskii, and V. V. Yarosh	567	199
Six-Position Liquid Distributor Operating under a Pressure of Up to 2 kbar — D. S. Mirinskii and Ya. I. Shurin	570	201
Installation for Optical Research on Semiconductors under a Pressure of Up to kbar at 77° K — I. I. Zasavitskii, A. I. Likhter, É. G. Pel', and A. P. Shotov	572	203
Modified Piston Manometer for Pressures of Up to 100 Kbar — L. F. Vereshchagin, E. V. Zubova, V. A. Stupnikov, and Yu. K. Zhukovskii	576	205
Measurement of Low Electrical Resistances — Ya. S. Kan and D. G. Tatishvili	580	208
Installation for Investigating Solids at High Pressures with Application of a Shear Stress — L. F. Vereschagin, G. L. Aparnikov, E. V. Zubova, and Yu. K. Zhukhovskii	582	210
Recording a Creep Curve with a High Resolution with Respect to Deformation and Time — L. I. Danilenko, M. V. Zinov'ev, and V. A. Koval'	585	212
Follow-Up Device for the Magnetic Suspension of Ferromagnetic Rotors Having Small Dimensions — V. M. Ponizovskii, I. I. Voronstsov, and S. A. Vorontsova	589	215
Demountable X-Ray Tube with a Convergent Beam — E. A. Levikov and L. V. Levikova	591	217
Cinematography Using an ÉG-100 M Electron-Diffraction Camera — A. G. Buntar', V. A. Krupel'nitskii, and A. M. Tkhorivskii	594	219
Effect of Structural Peculiarities of an Electron Microscope on the Accuracy of the Microprobe Diffraction Method — P. A. Stoyanov and N. M. Moseeva	597	222
Cathode-Ray Method of Obtaining Contrasty Polymer Replicas — E. M. Dubinina, M. Saad El'din, G. P. Netishenskaya, and V. G. Vinogradova	601	225
Simulation of Projection Images by Means of Electronic Automatic Devices — A. G. Balyshev, V. A. Vorob'ev, V. K. Kivran, and O. V. Filonin	604	228
Attachment to a Diffractometer for X-Ray Diffraction Photography of Materials under Load — A. I. Krivko and A. I. Samoilov	606	230
Integrator of Differential Heats of Polymerization — V. A. Dozorov, G. G. Laptenkov, and V. V. Pogorelko	609	232
Autoionic Microscope with an Atomic Probe — I. M. Mikhailovskii, A. P. Eres'ko, and V. B. Kul'ko	612	235
Cryostat for Measuring the Magnetostriction Constants of Ferrites by the Ferromagnetic Resonance Method — N. V. Volkova and V. I. Raitsis	614	236
Revelation of Germanium $n-n^+$ Transitions by Means of Chemical Etching — N. P. Nikol'skaya and V. S. Pitanov	617	238
Interference Method for Measuring the Etching Rate of Dielectric Films — L. D. Boiko V. M. Dudich, É. P. Kaloshkin, V. M. Koleshko, and É. K. Lashkii	619	240
Obtaining Films of Refractory Materials by Tempering from the Liquid State — G. F. Tavadze, D. V. Khantadze, Sh. G. Nakaidze, G. V. Tsagareishvili, and F. N. Tavadze	622	242
Antimony Foils for Physics Research — V. N. Medyanik and G. V. Shula	624	243

ABSTRACTS

Large Track Spark Chambers for Studying the Interaction of Hadrons at an Energy above 10^{13} eV —S. M. Bittibaev, N. N. Nurgozhin, and Zh. S. Takibaev 626 245

A Current Liquid Scintillation Counter —O. A. Rys'ev and N. A. Surov 629 246

Television Takeoff of Information from a Spark Chamber by Means of Superorthicons —Yu. A. Beloglazov, S. P. Kruglov, B. G. Podlaskin, and V. V. Sumachev 630 247

Precision Meter for Measuring Weak Direct Currents —L. L. Klyuev, A. N. Zernov, A. I. Prokhorov, and R. G. Khekhnev 632 248

Universal Scanning Device for One-Dimensional Paper and Thin-Layer Radiochromatograms —O. A. Rys'ev and N. A. Surov 633 249

REVIEWS OF INSTRUMENTS

Attachment to a Stroboscopic Oscilloscope for the Observation of Periodic Groups of Nanosecond Pulses —A. I. Naidenov and B. A. Chelnokov 634 250

Increasing the Sensitivity of the S1-14 Oscilloscope —Yu. L. Kurkin and L. M. Pakhomov 637 252

Null Element Based on a Photocompensation Amplifier —A. V. Vul'fson, A. D. Korobov and V. M. Yagodkin 639 253

Conditions for Optimal Ion Focusing in the Mass Spectrum of an AMN-1S Storage Mass-Analyzer —L. N. Linnik 641 254

Single-Ribbon Ion Source for the MI-1305 Mass-Spectrometer —S. P. Samsonov and É. P. Kutyavin 643 255

Attachment to Twin-Wave Infrared Spectrophotometers for Measurement of the Absolute Reflection Coefficient —Yu. I. Prokhorov 645 256

Low-Temperature Attachment for the KFOR-4 X-Ray Goniometer —A. A. Boiko, É. V. Suvorov, and K. Yu. Mukhin 648 258

NEW INSTRUMENTS

An Aerosol Radiometer for "Free" RaA and ThB Atoms —N. P. Kartashov 651 260

NaI (Tl) Scintillator with High Spectrometric Parameters —L. M. Shamovskii, M. G. Larionov, A. L. Lifits, E. P. Mokhir, and Yu. A. Tsirlin 652 261

A Multichannel Time Selector —V. G. Kolaidov and Yu. A. Panov 652 261

An RC Second-Timer —V. S. Anufriev, V. Zh. Elizarov, and P. L. Karasov 653 262

A Device for Stabilizing the Charging Voltage of a Storage Capacitor —V. V. Podmoskov and N. P. Anan'ev 654 263

The Nuclear Magnetic Resonance (NMR) RYa2305 Radiospectrometer Having a High Resolving Power —A. D. Vlasov 654 263

RYa2308 High-Resolution NMR Radiospectrometer —A. D. Vlasov 655 264

The ISSh-1 Pulsed Broadbrand Nuclear Quadrupole Resonance Radiospectrometer-Relaxometer —A. D. Vlasov 655 264

MS-1301 Mass-Spectrometer for Investigating the Vaporization of Nonvolatile Substances —A. D. Vlasov 656 265

The MS-1302 Mass-Spectrometer with Photoionization —A. D. Vlasov 657 266

The "Sigma" Digital Signal Storage Device —A. D. Vlasov 658 267

A Liquid-Helium-Level Pickup and Signal Probe —N. P. Kekelidze, N. M. Sinadze, and G. P. Kekelidze 658 267

A Cryostat for Investigating ESR at Temperatures —V. B. Ginodman, V. G. Zhurkin, V. F. Troitskii, and A. B. Fradkov 659 268

A Cryostat for Operation in the Temperature Range 4.2-300°K in the Magnetic Field of a Superconducting Solenoid —N. G. Afonchenkov and G. F. Kalashnikov 660 268

The F585 Electronic Wattmeter —G. M. Koroleva 660 269

The Urnt-180 Low-Temperature X-Ray Installation —G. M. Koroleva 661 269

The R5010 Universal Digital Automatic AC Bridge —G. M. Koroleva 661 270

The PD-100M Device for Switching Pickups —G. M. Koroleva 662 271

Volume 16, Number 3, Part 1 May-June, 1973

Avalanche Semiconductor Negatrons and Their Application (Review)—V. P. D'yakonov	665	7
NUCLEAR EXPERIEMENTAL TECHNIQUES		
Formulation of the Law Governing the Variation of the Amplitude of a High-Frequency Accelerating Field for an Electron Synchrotron—A. L. Baryshev, L. O. Karapetyan, and S. V. Kordonskii	680	21
A Three-Electrode Electron Gun with a Grounded Anode and Microwave Modulation of the Beam Via the Grid—A. S. Bogomolov and E. M. Zabutov	682	23
Polarization of a Coherent Bremsstrahlung Beam from the "Sirius" Electron Synchrotron —B. N. Kalinin, V. M. Kuznetsov, A. P. Potylitsyn, Yu. L. Sertakov, O. L. Stubov, and N. M. Filipenko	684	24
Analyzer of the Energy and Phase Distributions of Electrons in the Beam —A. S. Bogomolov, E. M. Zakutov, and L. V. Shebolaev	687	27
Meter for Measuring the Position and Shape of a Beam of Accelerated Electrons —V. M. Denyak, A. A. Nemashkalo, and V. N. Ananiichuk	691	31
Use of Nonlinear Phosphors for Positioning the Beam of an Electron Accelerator —N. V. Mitrofanova, V. N. Ponomarev, Yu. P. Timofeev, S. A. Fridman, and V. V. Shchaenko	695	34
Orientation of a Single-Crystal Target in the Path of a Beam of Relativistic Positrons —V. L. Morokhovskii, V. L. Kasilov, G. D. Kovalenko, and A. N. Fisun	697	36
An Electrostatic Prismatic Beta-Spectrometer with Axisymmetric Lenses—B. V. Bobykin, V. M. Kel'man, S. K. Lyubov, and Yu. A. Nevinnyi	700	38
Efficiency of Collecting and Recording Electrons in a Beta-Spectrometer Having a Si(Li)-Detector and a Superconducting Solenoid—V. L. Morozov	703	42
A Spectrometer with a Ge(Li)-Detector for Low-Energy Gamma-Quanta—Ts. Bylov, L. N. Egoshin, S.Ormandzhiev, B. P. Osipenko, D. Srnka, and Ya. Yurkovskii	706	45
Method of Studying the Energy and Angular Distributions of Charged Particles which Develop in the Substance of a Detector—V. N. Kuritsyn	708	47
Hodoscopic Installation for Investigating the Elastic Scattering of High-Energy Particles —A. A. Borisov, A. P. Bugorskii, Yu. B. Bushnin, A. A. Derevshchikov, A. F. Dunaitsev, V. D. Zhil'chenkov, Yu. A. Matulenko, A. P. Meshchanin, Yu. V. Michailov, S. B. Nurushev, V. A. Sen'ko, V. V. Smirnov, E. V. Smirnov, V. V. Siksin, L. F. Solov'ev, and V. L. Solov'yanov	711	49
A Low-Background Telescope of Counters for Recording Alpha-Particles in (n, α)-Reactions —G. P. Dolya, V. P. Bozhko, and A. L. Tutubalin	716	54
A 700-Liter Bubble Chamber with a Freon Filler—D. S. Baranov, A. I. Boginskii, L. A. Danil'chenko, V. L. Ermolaev, L. N. Ivakhnenko, V. A. Krupnov, E. P. Kuznetsov, O. L. Mikhailov, N. A. Netyaga, M. A. Samarin, V. L. Snyatkov and N. A. Chabrov	720	57
Polyethylene Spark Chambers for Measuring the Polarization of Protons—P. S. Anan'in, L. V. Glavanaov, V. L. Kryshkin, A. G. Sterligov, V. N. Stibunov, and Yu. P. Usov	723	59
Track Spark Chambers Made of Foam Polyurethane—S. M. Bittibaev, E. V. Kozhanov, N. N. Nurgozhin, and T. N. Nurzhakipov	726	62
A Discharge-Diffusion Chamber—A. K. Dghavrishvili, Z. Sh. Manzhavidze, V. N. Roinishvili, and N. S. Grigashvili	730	65
Equipment for Controlling and Monitoring RFK-5 Streak Cameras—V. D. Volodin, N. S. Glagoleva, A. T. Matyushin, and V. T. Matyushin	732	66
Introduction of Large Amounts of Lithium into Nuclear Photographic Plates—E. A. Kotikov and E. D. Makhnovskii	736	70
Absolute Energy Calibration of Low-Pressure Proportional Counters Containing Hydrogen —A. G. Konyushkov, V. L. Korolev, A. K. Savinskii, and L. V. Filyushkin	738	71

Consideration of the Interaction of the Products of the ^{3}He(n, p) Reaction with the Wall in Spherical Proportional Counters—L. S. Andreeva, A. V. Bol'shakov, A. K. Savinskii, and I. V. Filyushkin 742 75
Amplitude of the Pulse in a High-Pressure Corona Counter Containing ^{3}He—V. I. Korolev 745 77
Current Connection of Compact Low-Voltage Halide Counters—P. V. Vakulov, S. A. Belyakov, B. D. Butenko, and B. Ya. Shcherbovskii 747 79
Surface-Barrier Silicon Detectors Having a Large Area—L. Wilhelm, L. I. Gumnerova, I. Kratsikova, Li Ch'êng Song, B. P. Osipenko, and N. M. Prakhov 750 81
Use of Surface-Barrier Si(Li)-Detectors for the Spectrometry of Electrons—A. A. Il'in, V. P. Selyutin, E. P. Tutov, and O. P. Fedoseeva 752 83
Semiconductor Silicon Photodiodes Having a p—i—n Structure—Yu. Kondratenkov, L. M. Kondratenkova, and M. N. Medvedev 755 85

ELECTRONICS AND RADIO ENGINEERING

System of Fast Electronic Blocks for Physics Experiments, Based on the "Camac" Standard—S. G. Basiladze, V. Ya. Gvozdev, I. F. Kolpakov, P. K. Man'yakov, and V. Tlachala . . . 758 88
Automatic Measurement and Handling of Charge Spectra of a Source of Multiply Charged Ions—I. Lang, O. K. Nefed'ev, Yu. P. Tret'yakov, and B. V. Fefilov 763 92
A Linear Spatial Filter as an Associative Memory—T. Kokhonen and M. Ruokhonen 768 96
Receiving and Transmitting Devices for Broadband Ultrasonic Delay Lines—M. V. Korolev 772 100
Device for Converting a Pulse Train into Binary-Sequential and Parallel Codes—N. N. Balamatov and A. S. Sirotkin 775 102
A Millisecond Modulator Having a Power Output of 30 Mw—A. A. Egorov and E. N. Kharitonov . 777 104
Generator Producing High-Voltage Nanosecond Pulses—V. M. Orlovskii, Yu. D. Korolev, Yu. A. Kurbatov, Yu. I. Bychkov, V. F. Tarasenko, and A. P. Khuzeev 781 107
A Megaampere Switch with an Exploding Foil for the Investigation of Magnetic Cumulation—V. G. Kuchinskii, V. T. Mikhkel'soo, and G. A. Shneerson 783 108
A Controllable Plasma-Jet Spark Gap for the Commutation of High-Pulse Currents—N. I. Fal'kovskii 787 112
Stabilization of the Amplitude of High-Voltage Pulses—L. D. Butakov and G. F. Kiryukhina 790 115
A Stable-Phase Shaping Device—A. M. Fishtein 792 117
A Transistorized Pulse Shaper—E. N. Belov, V. M. Barbasov, and A. K. Solov'ev 795 119
Discrete-Sweep Generator Using Microcircuits—I. I. Zadubovskii and B. N. Krasnogolovyi 797 121
Device for Shaping Rf Pulses, Which Has a Large Attenuation of the Signal in the Interval—Z. I. Montsilbovich and M. G. Levitskii 799 123
Measurement of Volt-Ampere Characteristics of Thermionic Converters Using Bipolar Pulses Having a High-Duty Ratio—B. N. Igumnov, V. P. Evilin, and V. D. Murguliya 802 126
Interference Method of Investigating Acoustic Paramagnetic Resonance—E. M. Ganapol'skii . . . 804 128
Reducing the Sensitivity Recovery Time of the Receiving System in Pulsed Nuclear Magnetic Resonance Equipment—V. M. Zagainov, A. M. Zharkov, Yu. V. Zelenev, and M. I. Emel'yanov 808 131
Control Device for Pulsed Nuclear Magnetic Resonance Equipment—A. F. Babkin, O. S. Golod, V. L. Makarenko, and V. S. Strel'tsov 810 132
Pulsed Pumping in the Investigation of the Dynamic Polarization of Nuclei—V. A. Atsarkin, G. A. Vasneva, V. V. Demidov, and E. A. Novikov 812 134
Fabry-Perot Resonator for Measuring the Parameters of Dielectrics in the Millimeter Range in the Temperature Interval 200-900°K—V. G. Batura and V. K. Moiseev 815 136
Phase Shifter for Waveguides that are Filled with a Dielectric—B. Yu. Kapilevich and N. S. Simin 818 139
Rotation of the Polarization Plane in a Circular Waveguide—É. G. Mirzabekyan, A. A. Oganesyan, Zh. A. Sark'syan, and R. N. Simonyan 820 141
Frequency Stabilization of a Backward-Wave Tube in the Submillimeter Range—S. B. Belov, L. I. Gershtein, E. N. Karyakin, and A. F. Krupnov 822 142

Volume 16, Number 3, Part 2 May-June, 1973

A Broadband Correlometer—V. I. Sazanov	825	144
Small-Signal Measurement Bridge with a Light Transformer—R. S. Nakhmanson and V. G. Erkov	829	147
A Digital Teraohmmeter-Electrometer—V. I. Karlashchuk and V. I. Kupryakhin	832	150
Television Counter for Counting Microparticles Having a Complex Shape—V. V. Zaitsev	835	152
A Thermally Durable Preamplifier—I. N. Poznyak, A. V. Linnik, V. M. Kosenko, and A. F. Ripka	837	154
Circuit for Controlling the Field of a Superconducting Solenoid—I. F. Vatulin, S. N. Lukin, L. G. Oranskii, V. V. Permyakov, V. V. Podlesnyi, and Yu. I. Yurkovskii	839	156
Bipolar Stabilized Rectifier with a Rated Voltage of 5 to 70 kV—U. A. Arifov, A. D. Belyaev, G. Z. Galyamov, V. I. Kogan, V. P. Pikul', and A. M. Usmandiyarov	841	157
Static Converter for Supplying Low-Power Three-Phase Motors at an Elevated Frequency —M. P. Murashko	844	160
GENERAL EXPERIMENTAL TECHNIQUES		
Modification of a Spark Mass-Spectrometer with Double Focusing for Investigating the Interaction of Laser Radiation with Solids—V. P. Zakharov and I. M. Protas	846	162
Obtaining Stable Ionic Currents by Means of a Field-Effect Ion Source—V. I. Faerman and I. L. Agafonov	850	165
Filamentary Metallic Emitters Having a Developed Surface—I. V. Gol'denfel'd, R. N. Bondarenko, and V. G. Golovatyi	852	166
Determining the Hydrogen-Penetrance Coefficient of Coatings—R. I. Van'kovich, R. G. Parkheta, and I. V. Semchishin	855	169
A Hydrogen-Generating Device—V. K. Bocharov	859	171
Reduction and Stabilization of the Delay of a Hydrogen Thyratron—V. D. Volodin, P. S. Kuznetsov, A. T. Matyushin, and V. T. Matyushin	861	173
On the Possibility of Investigating the Microstructure of the Avalanche Stage of a Gas Discharge—Z. Sh. Mandzhavidze, N. S. Grigalashvili, A. K. Dzhavrishvili, and V. N. Roinishvili	864	175
Use of an Explosive Magnetic Generator to Supply a Gas Discharge—A. E. Voitenko, E. P. Matochkin, and B. A. Yablochnikov	866	177
Source of Metallic Ions—S. Ya. Lebedev and S. D. Panin	868	179
Zonal Characteristic of a Channel Electron Multiplier of the Slit Type —M. R. Ainbund and V. S. Gur'yanov	870	181
Offsetting the Contacts of Channel Electron Multipliers in Order to Simplify the Supply Circuit—M. R. Ainbund	872	183
Coordinate-Sensing Photoelectron Multipliers—K. A. Gulgazaryan	874	184
Temperature Characteristics of One-Electron FÉU-64 and -79 Photomultipliers —S. S. Vetokhin and I. V. Reznikov	878	187
Optimal Supply Mode of the Input Chamber of Louvered Photoelectron Multipliers —S. P. Golenetskii, V. G. Kuĭbar, and F. G. Vorob'eva	881	189
Noise-Immune Channel that Operates in a Photon-Counting Mode for Recording Light Fluxes over a Wide Dynamic Range—G. S. Kvater, V. M. Konshin, V. A. Makarov, and E. D. Mishchenko	884	191
Strip Photocells for Investigating Ultrafast Light Processes—A. G. Berkovskii, Yu. I. Gubanov, V. V. Korobkin, A. B. Kostin, A. A. Malyutin, and M. Ya. Shchelev	888	195
Electronic Densitometer Having a Linear Scale—V. M. Gorchukov, V. S. Grigor'ev, Ya. Ya. Medikov, and V. I. Fomin	890	197
Time Resolution of a Stroboscopic Streak Camera—I. Z. Rutkovskii and N. N. Shavel'	893	199
Measurement of the Distortions of Interference Bands—A. G. Tolstolutskii and I. M. Zolototrubov	895	201

Installation for Atomic-Absorption Analysis with an AC Arc Source – V. P. Ivanov, I. I. Fishman, and I. S. Fishman 897 203
Use of a Photoelectron Multiplier Operating in the Logarithmic Mode for the Investigation of the Decay Kinetics of Luminescence – V. V. Bacherikov, V. É. Kagain, Yu. A. Makarov, Yu. N. Nikolaev, and V. M. Tarasov 900 206
Optical Low-Temperature Chamber with a Fixed Hydrostatic Pressure – A. M. Shirokov, Yu. V. Kosichkin, V. B. Anzin, E. S. Itskevich, and V. A. Sukhoparov 902 208
Installation for Studying the Variations of the Absorption and Velocity of Ultrasound – V. D. Fil', P. A. Bezuglyi, E. A. Masalitin, and V. I. Denisenko 905 210
Magnetic Measurements Using a Superconducting Quantum Magnetic-Flux Meter – N. V. Zavaritskii and M. S. Legkostupov 909 213
Radiography According to the Converging-Beam Method in Several Characteristic Radiations Simultaneously – E. A. Levikov, L. V. Levikova, V. P. Yashin, and V. F. Dolzhenko 913 216
Operating Mode of a Controlled Pulsed X-Ray Tube with a Cold Cathode – Yu. M. Tolchenov and A. V. Chepek 916 218
Obtaining Thin Si Crystals and Layers Deposited on a Si Surface for Transilluminational Electron Microscopy – V. I. Prokhorov and L. M. Sorokin 918 220
Preparation Table for an Electron-Microscope Investigation of Objects by Method of Freezing and Etching – E. S. Obolonkova and E. M. Belavtseva 921 222
Installation for Contactless Measurement of the Nonuniformity of the Parameters of Semiconductor Materials and Dielectrics – G. N. Danilov, Yu. V. Medvedev, and A. S. Petrov 923 224
On Measurement of a Volt-Ampere Characteristic in Investigating the Switching Effect in a Pulsed Mode – A. A. Andreev and M. Mamadaliev 926 226
Measurement of the Permittivity of Liquids in Strong Electric Fields – R. I. Garber and V. I. Slipchenko 928 227
Measurement of the Distribution of the Electrical Potential in Dielectrics – V. I. Veretel'nik, V. N. Gusel'nikov, O. B. Evdokimov, and V. L. Orlov 931 230
Measurement of the Diffusion of Gases in Metals by the Method of Eddy Currents – M. V. Zaika, B. A. Merisov, V. I. Rogachev, V. V. Sukhorukov, G. Ya. Khadzhai, and V. I. Khotkevich 934 232
Contactless Optical Pickup for Determining the Thickness of the Coatings of Integrated Circuits – A. A. Danilov 937 234
Fabrication of Small Apertures in Metallic Irises – K. A. Timanovich 939 236
Trapping and Regenerating Neon and Xenon Gases – A. I. Ivanenko, K. D. Tumanov, and A. N. Filipson 940 237
Capacitive Temperature Pickup – V. A. Rassushin, A. I. Samburskii, A. N. Gubkin, S. F. Magidin, L. R. Zaionts, and T. S. Shcherbinskaya 944 240
Thermoelectric Cryostat for Optical Investigations – N. I. Glushchenko, V. P. Migal', and A. L. Rvachev 946 242
Procedure for Investigating the Parameters of Superconducting Resonators – É. S. Zlunitsyn, A. I. Zykov, and V. A. Kushnir 947 243
Thermostating Crystals at Temperatures below 1° K by Means of the Electrocaloric Effect – V. Kh. Korrovit-s G. G. Liid'ya, and V. T. Mikhkel'soo 950 245
Low-Temperature Indium Seal – V. Kh. Korrovit-s 953 248
Dilatometer for Measurements of the Expansion of Structural Materials in the Temperature Range 2-77°K – N. S. Petrenko and S. F. Kravchenko 954 248

ABSTRACTS

On the Fano Factor – N. G. Volkov 957 251
Sensing Pulse-Amplitude Discriminator with a Stabilized Threshold – V. I. Breido, D. D. Natanzon, and L. R. Romanov 959 251
Resolving Power of an Electron-Optic Image-Brightness Intensifier – V. V. Tsyganenko, R. A. Lachashvili, N. N. Vashchenyuk, V. I. Zhavoronkov, P. A. Tarasov, and P. P. Choporov 961 252

REVIEWS OF INSTRUMENTS

Elimination of Certain Interferences for Operation with an AI-256 Analyzer — V. P. Fillipov and E. M. Lizunov 963 254

Use of the MI-1305 Mass-Spectrometer for Studying Sb Vapors — L. S. Palatnik, V. I. Belozertseva, and S. A. Butko 964 255

Differential Spectrometer Based on the IKS-21 — A. V. Il'inskii and E. B. Shadrin 967 257

Light Characteristics of a Dissector Operating in a One-Electron Mode — A. P. Tashkun, I. V. Reznikov, and S. S. Vetokhin 969 258

Use of a Light Duct in the Optical Scheme of a Streak Camera — A. P. Gagarin and V. V. Druzhinin 972 260

Measurement of the Distances from the Scattering Center to the Plane of the Photographic Plate in an ÉG-100A Electron-Diffraction Camera — Yu. S. Ezhov, S. A. Komarov, and V. V. Ugarov 973 261

Obtaining Cyclic Volt-Ampere Characteristics with a PO-5122 Oscillographic Polarograph — V. N. Mikhailov and B. A. Kiselev 975 263

NEW INSTRUMENTS

Scaling Device — V. M. Nekrasov, Yu. A. Kozlov, A. A. Molchanov, and V. P. Volkogon 977 264

The Git-7 Current-Pulse Generator — A. A. Besedin, V. P. Baryshev, V. S. Volchkov, and I. A. Danilova 977 265

The Git-9 Nanosecond Current Pulse Generator — A. A. Besedin, V. P. Baryshev, V. S. Volchkov, and I. A. Danilova 978 266

Transistorized Nanosecond Current-Pulse Generator — A. A. Besedin, V. P. Baryshev, V. S. Volchkov, and I. A. Danilova 978 267

A Nanosecond Pulse Amplifier with an Increased Output Voltage — A. N. Kolesov, A. N. D'yachko, and L. P. Donskikh 979 268

High-Speed Microelectronic Low-Frequency Digital Frequency Meter — M. I. Al'kaev and A. M. Shcherbachenko 980 268

A DC Microvoltmeter — V. G. Zubov and D. A. Yurkovskii 980 269

A Vacuum Coordinate Setter — V. M. Sankovich, É. P. Pavlov, and I. D. Vershinin 981 269

Laser Meter for Measuring the Parameters of Solid Particles — B. M. Bulgakov, A. I. Fisun, M. M. Bykov, and G. V. Martynov 981 270

An Infrared-Radiation Polarizer — A. M. Bogomolov and V. M. Pankratov 982 271

A Superconducting Magnetic System Consisting of Two Solenoids with a Vacuum Working Volume — B. V. Glasov, V. G. Kotenko, V. I. Kurnosov, G. G. Lesnyakov, G. T. Nikolaev, V. A. Merzlikin, Yu. V. Kholod, and V. B. Yuferov 982 272

An Attachment to a Helium Cryostat for Investigating Optical and Photoelectric Properties of Semiconductors under Uniaxial Compression — O. G. Koshelev and T. B. Pleskacheva .. 983 273

The MKh-1309 Mass-Spectrometer — A. D. Vlasov 983 274

The Amur-1 Automatic X-Ray Small-Angle Diffractometer — A. D. Vlasov 984 275

The DTS Two-Crystal X-Ray Topographic Spectrometer — A. D. Vlasov 985 276

The SID-1000 Data-Display Station — I. L. Neguritsa 986 277

The SIGD Station for Display of Graphical Data — I. L. Neguritsa 987 278

Instrument for Measuring the Magnetoelasticity of Ferromagnetic Films — G. A. Mikhailov, V. V. Zvyagintsev, A. P. Romantsov, and A. P. Ganin 987 279

Volume 16, Number 4, Part 1 July-August, 1973

Pulsed Devices Based on Monolithic Integrated Circuits (Review) — A. V. Kutsenko, B. A. Polos'yants, and V. A. Shirochenkov 989 7

NUCLEAR EXPERIMENTAL TECHNIQUES

Modernization of a System for Local Perturbation of the Orbit for Purposes of Uniform Extraction of Particles—S. K. Esin, V. I. Kovalenko, and A. A. Markar'yan 1002 20

Improvement of the Monoenergeticity of a Cyclotron Beam—N. N. Krasnov, V. N. Mironov, and A. A. Ognev 1005 22

Stabilization of the Resonant Frequency and Elimination of the Voltage Asymmetry of the Dee Tuned Circuit of a Cyclotron—N. S. Biryukov, B. V. Zhuravlev, V. I. Plyaskin, and O. A. Sal'nikov 1008 25

Increasing the Dielectric Strength of Accelerator Tubes—Yu. M. Khirnyi and A. P. Solodovnikov 1012 28

Comparative Evaluation of Charge Transporters and Charging Systems of an Electrostatic Generator—L. I. Ryabov, N. G. Beruchev, and V. B. Uspenskii 1015 31

Time-of-Flight Method in Experiments with Colliding Beams—I. G. Fel'dman and V. I. Fominykh 1018 33

Measurement of the Photofission Cross Sections of Nuclei Using an Electronic Computer on the Experimental Line—G. M. Gurevich, V. A. Zapevalov, L. E. Lazareva, G. V. Solodukhov, and V. I. Yavorovskii 1020 35

Measurement of the Relative Energy of Gamma-Quanta in the 1 to 40 GeV Range by Means of a Spark Spectrometer—V. N. Bolotov, M. I. Devishev, M. N. Devisheva, and V. V. Isakov 1024 38

Stabilization of a Bore-Hole Gamma Spectrometer by Means of an Injection Diode —V. V. Bakhterev, A. V. Bausov, L. A. Zyryanov, I. N. Sen'ko-Bulatnyi, and M. I. Svetlov 1027 41

Neutron-Guide—Crystal System for Isolation of Monochromatic Neutrons in the Long-Wave Range—V. E. Zhitarev, F. M. Zelenyuk, S. B. Stepanov, and A. V. Timakov 1029 43

Analysis of Methods for Measuring Neutron Flux in the Presence of Gamma Radiation —V. I. Kazachkov 1032 45

Attachment to a Neutron Diffractometer and a Cryostat for Neutron-Diffraction Investigation of Single Crystals—K. N. Zaitsev and R. A. Sizov 1035 47

Installation for Studying the Interaction of Charged Particles with Single Crystals —N. A. Skakun, N. P. Dikii, P. P. Matyash, and A. G. Strashinskii 1038 49

Utilization of Resonant Filters in Measuring the Mössbauer Effect for ^{119}Sn Nuclei —K. P. Mitrofanov, M. V. Plotnikova, and N. I. Rokhlov 1040 51

Isolating the Null Drift of the Motion Signal in a Nuclear Gamma-Resonance Spectrometer —V. A. Semenkin and V. M. Vainshtein 1042 52

Secondary Gamma-Radiation in a Collimated Beam From a ^{60}Co Source—E. G. Tyurin and V. V. Klimchuk 1045 54

Extraction of Information from Wire Spark Chambers with Memory Based on Ferrite Rings —Yu. D. Karpekov, G. P. Makarov, V. A. Sergeev, and Yu. N. Simonov 1047 56

Recording the Magnetic Field on a Photographic Film during Photography of Events in Track Chambers—S. V. Skachkov and B. I. Simonov 1050 59

Three-Electrode Geiger-Müller Counters with a Controllable Sensitivity—A. B. Dmitriev, E. P. Kondrasheva, and A. I. Filatov 1053 61

Helium Counters in a Moderator for the Detection of Neutrons—A. V. Shapar' and V. F. Efimenko 1055 63

Estimating the Efficiency of Open Ionization Counters in the Detection of Exoelectrons and Photoelectrons—A. G. Gel'man and G. A. Tolkachenko 1057 64

Estimation of the Linearity of the Working Characteristic of Ionization Chambers —A. B. Dmitriev and V. S. Shepel' 1060 67

Measurement of the Spectra of Fission Fragments Against the Background of Large Alpha-Particle Fluxes—I. M. Kuks and Yu. A. Selitskii 1063 69

Ge(Li)-Detector with Separate Sensing Regions and Certain of Its Applications in Neutron Activation Analysis—B. K. Akinshin, E. M. Margolin, É. E. Pakhomov, A. L. Pakhomova, O. P. Polytsya, and Yu. P. Sot-skov 1066 71
Simple Method for Measuring the Energy Equivalent of the Noise of Semiconductor Nuclear-Radiation Detectors—O. V. Zakharchuk and A. A. Il'in 1071 75
Scintillation Detector with Semiconductor Silicon Photodiodes having a p—i—n Structure—M. N. Medvedev, Yu. B. Kondratenkov, and L. M. Kondratenkova 1074 77
Luminescence Kinetics of Scintillators—M. N. Medvedev and Yu. B. Kondratenkov 1077 79
A ZnS + B Scintillation Counter — a Threshold Detector for a Pulsed Flux of Fast Neutrons —B. M. Kolesov, A. K. Ovchinnikov, I. M. Khaikovich, G. I. Ganichev, T. V. Timofeeva, V. A. Podpoyaskin, and V. G. Gubanov 1080 82
Isolation of a Cerenkov Flash in a CsI(Tl) Scintillation Crystal—M. I. Kudryavtsev, A. S. Melioranskii, I. A. Savenko, and V. M. Shamolin 1083 85
Polyethylene Vessel for Liquid Scintillation Counters—V. K. Gaevoi, G. L. Tokarev, and L. I. Romashova 1086 87

ELECTRONICS AND RADIO ENGINEERING

Digital Decision Device for Use in High-Energy-Physics Experiments—A. A. Derevshchikov, Z. Guzik, Yu. A. Matulenko, S. B. Nurushev, E. V. Smirnov, and V. L. Solov'yanov ... 1088 90
System for Automatic Input of Graphs in an Electronic Computer—M. I. Kheifets, V. A. Skubko, and A. P. Antipenko 1091 92
Dynamic Analog Memory Block with Nanosecond Speed of Response—S. G. Basiladze 1094 95
High-Speed Analog Memory Device—A. A. Kuznetsov, V. I. Baryshev, and L. L. Vaag 1097 97
High-Speed Decoder for Converting Channel Numbers from a Decimal Code to a Binary Code —V. V. Smirnov and Yu. N. Simonov 1099 99
PPS-2 Semiautomatic Viewing Table—M. A. Kuz'michev, V. P. Zeidlits, and A. I. Kripak .. 1102 102
High-Speed Ring Counter—B. G. Kudasov 1104 103
Scaling Decade with a Decoder Operating at 100 MHz—M. I. Al'kaev, V. V. Kurochkin, and A. M. Shcherbachenko 1107 106
Amplitude Discriminator Based on a Tunnel Diode for Scintillation Counters —S. P. Golenetskii 1110 109
Amplitude-Time Converter—N. E Zhorov and S. N. Neustroev 1112 111
Precision Voltage-Frequency Converter—L. B. Mashkinov, V. V. Batylin, and L. N. Gal'perin 1115 113
Integrating Voltage-Frequency Converter Based on a One-Junction Transistor —G. A. Ali-Zade, Yu. B. Leshchinskii, and D. G. Ali-Zade 1117 115
Bipolar Voltage-Frequency Converter with a High Input Impedance—T. M. Aliev, L. R. Seidel', and S. G. Saligov 1119 116
Magnetic Pulse Generator Based on Ferrite—I. G. Kataev, A. I. Kononov, A. N. Meshkov, and I. I. Rozhkov 1121 118
Thyratron Generator That Produces Rectangular Pulses Having a Smoothly Controllable Length—R. S. Tabachnik 1124 120
Pulse-Sequence Generator—M. I. Vakhrin 1127 122
Nanosecond-Pulse Generator for the Excitation of Aperiodic Piezotransducers —M. V. Korolev 1130 125
Generator Producing a Staircase Sawtooth Sweep for a Vidicon Camera —V. V. Podlipenskii, V. V. Stavitskii, and V. M. Tarasov 1132 126
Semiconductor Oscillator for Exciting a Spectral Lamp—Yu. S. Chidson 1135 129
Noise-Voltage Generator with Amplitude Modulation—A. I. Zakhodyakin 1137 131
Infra-Low-Frequency Noise Generator for an Instrument That Measures the Noise of Semiconductor Devices—A. G. Golovko, I. Ya. Kozyr', and V. M. Piseev 1139 132

Volume 16, Number 4, Part 2 July-August, 1973

Blocks for Starting Semiconductor Pulsed Light Sources—B. P. Barkov, Yu. V. Katinov and A. I. Sutormin	1143	134
A Compact Shaping Artificial Line with a Small Peak on the Transient—E. N. Grekov	1147	138
Modules for the Shaping of Nanosecond Pulses Using Integrated Microcircuits—Yu. V. Bushnin, A. F. Dunaitsev, and V. A. Sen'ko	1149	140
A Control-Voltage Shaper for a Light Modulator—B. M. Yurchikov	1154	144
A High-Speed Foil Circuit Breaker—A. B. Andrezen, V. A. Burtsev, L. V. Dubovoi, M. P. Nadgornaya, and A. B. Produvnov	1157	146
A Tunable Active RC Filter Based on Integrated Microcircuits—A. G. Golovko and I. Ya. Kozyr'	1162	150
A Filter with Electronic Control of a Quasiresonant Frequency—Yu. I. Lypar' and A. S. Filippov	1164	152
Automatic Attenuator for Recording the Amplitude and Shape of Pulses—B. G. Mishchenko	1167	154
Measurement of a Low Q by Means of Random Signals—E. V. Aleksenko, V. A. Dvinskikh, G. I. Filippov, and B. V. Shalaev	1170	156
A Broadband Oscilloscopic Amplifier for the Nanosecond Range—A. A. Lysenko and B. N. Gurvich	1173	159
A Broadband Transitor Power Amplifier for the Meter Range—G. N. Devyatkov and L. G. Plavskii	1176	161
A Controllable Spark Gap for the Protection of Powerful Microwave Devices—V. N. Alferov and I. R. Yampol'skii	1178	162
A Spectroradiometer for the Submillimeter Range Having an n-InSb Detector —A. N. Vystavkin, Yu. I. Kolesov, V. N. Listvin, and A. Ya. Smirnov	1180	164
An Integrating Relaxometer for Measurement of Electron Paramagnetic Relaxation Times —B. A. Volkov, G. P. Vishnevskaya, V. A. Gorozhanin, and R. G. Ramazanov	1184	167
A Shaper That Produces a Sequence of Pulses for Measuring the Spin-Spin Nuclear Relaxation Time—B. A. Gulin, B. G. Emets, and A. A. Tishko	1187	170
A Noise Supressor of Heteronuclear Spin-Spin Interactions—É. V. Dvornikov, V. A. Grigor'ev, and É. G. Mikhal'tsov	1189	172
A System for Controlling the Motion of a Mössbauer Spectrometer, Which is Based on Integrated Microcircuits—A. S. Kamzin and R. F. Suramanov	1193	175
Commutator of a Gamma-Resonance Spectrometer Having Constant Velocity —V. I. Sinyavskii and R. A. Iskhakov	1195	177
An Electron-Optics Analyzer with a Set of Different Sweeps—A. A. Pleshkov and V. G. Trukhan	1198	180
Measurement of the Luminescence Decay Time According to the Amplitude-Frequency Method—M. U. Belyi, N. G. Musienko, B. A. Okhrimenko, and A. I. Sharapa	1202	184
Current Stabilizer of a Submillimeter Gas Laser—G. D. Bogomolov, V. I. Voronin, V. V. Zav'yalov, and I. N. Parfenkov	1206	187
GENERAL EXPERIMENTAL TECHNIQUES		
Mass-Spectrometric Analysis of Samples Containing a Small Amount of Matter —B. N. Belyaev, V. D. Domkin, V. V. Kolbin, and A. V. Lovtsyus	1208	190
An Energy Analyzer in the Field-Emission Ion Source for a Mass-Spectrometer —I. Z. Korostyshevskii and B. G. Mischanchuk	1211	193
Certain Characteristics of Cold Cathodes—I. Z. Gleizer and B. V. Okulov	1214	196
A Photoelectric Displacement-Phase Converter with Acoustooptic Sweep—V. I. Teleshevskii and B. M. Potapov	1216	198
A Selective Ultraviolet Gas-Discharge Light Source—Yu. P. Andreev, Yu. G. Basov, V. N. Kristaleva, V. I. Roldugin, and V. V. Sysun	1220	201
A High-Precision Differential Photometer—A. N. Sakharov and B. V. Novogrudskii	1222	202

The Dependence of the Radiation Power from an Encapsulated CO_2 Laser on the Wall Temperature of the Gas-Discharge Vessel—Yu. N. Gromov, N. Sh. Khaikin, and B. V. Yurist	1224	204
A Traveling-Wave Cooled CO_2 Amplifier Having a Large Gain—Yu. A. Gorokhov and O. N. Kompanets	1227	207
A Two-Frequency Laser with Controlled Polarization—Yu. A. Nestrizhenko	1229	209
The Investigation of Spatial Coherence of Batch-Manufactured Gas Lasers—V. I. Dolotko, V. I. Krichevskii, and V. V. Shevchenko	1232	211
A Unit for Measurement of the Kerr Constants of Liquids by the Relative Method —B. A. Veretenchenko, V. T. Chalyi, and I. S. Romodanov	1235	214
Recording of Optical Information on X Centers in Crystals—V. I. Bodryagin, A. A. Kudryavtsev, and A. A. Shatalov	1237	216
Devices for Generating Powerful Uniform Alternating Magnetic Fields in Prolate Volumes —V. M. Mogilevskii	1239	218
A Membrane Separator for Compression of Gases to 2 kbar—M. D. Bondarenko	1245	223
A High-Pressure Device with a Demountable Chamber—A. A. Butérus	1247	225
A Compact High-Pressure Intensifier—A. K. Butylenko and G. P. Gázha	1249	226
A Locking Valve for a Gas Pressure Exceeding 10 kbar—M. A. Plotnikov and A. P. Kurshin	1251	227
Measurement of Kinetic Effects in Anisotropic Material in the Presence of Uniaxial Deformation—F. I. Bekkerman and D. V. Gitsu	1253	229
Collimators of Beams of Rays in the Ultrasoft X-Ray and Ultraviolet Ranges of the Spectrum—I. A. Brytov, K. I. Konashenok, and E. D. Mishchenko	1256	231
A Pyroelectric Thermograph for the Indication of Phase Transitions in Liquid Crystals —T. A. Kalinina, I. A. Kleinman, A. Z. Rabinovich, and M. B. Roitberg	1260	235
Determination of the Profile of the Impurity Concentration in p-i-n Structures from the Shape of the Current Pulse—V. K. Eremin, N. B. Strokan, and N. I. Tisnek	1262	236
The Choice of the Optimal Drift Modes of Lithium Ions in Silicon in Fabricating Radiation Detectors—V. N. Korchinskii and A. F. Muratov	1265	239
A Device for Investigating Friction and Wear at Low Temperatures in Vacuum —N. N. Golego and É. A. Kul'gavyi	1266	240
A High-Speed Reciprocating Mechanism with Electromagnetic Acceleration and Braking of the Armature—A. I. Bludov, A. M. Elenkin, and V. V. Ivashin	1268	241
A Pickup Based on Silicon Strain-Gauge Resistors for Measurement of Small Pressure Differentials—G. R. Grek, N. F. Polyakov, and É. A. Samoletov	1271	243
An Analog Recorder of the Results of Neutron-Diffraction Measurements—V. V. Kelarev, A. I. Kozlov, V. A. Krivorotov, V. G. Chudinov, S. A. Kiryukhin, A. V. Krylov, A. O. Suetin, and M. P. Zykin	1273	245
A Glued Multicore Vacuum-Tight Electrical Lead for Low-Temperature Devices —B. N. Samoilov	1275	247
The Preparation of Thin Silver Foils for Transmission Electron Microscopy —M. M. Myshlyaev, S. S. Olevskii, and I. M. Aristova	1276	248
The Deposition of Coatings—N. N. Krasikov	1278	249
Gluing of Lavsan to Metal—R. I. Davletshin and I. A. Radkevich	1279	250
ABSTRACTS		
Instrument for Recording Time Resolution Curves of Logical Circuits—Yu. B. Bushnin and A. F. Dunaitsev	1281	252
On Measurements of the Density of Ultrasonic Energy in Investigations of Acoustic Nuclear Resonance in Crystals—V. A. Shutilov, L. N. Fershtat, G. L. Antokol'skii, and V. M. Sarnatskii	1283	253
The Efficiency of a Laminated X-Ray Polarimeter—A. V. Zharko and A. I. Vaskin	1285	254

NEW INSTRUMENTS

An Instrument for Measuring the Absorbed Dose of Fast Neutrons and the Gamma-Radiation in Mixed Gamma-Neutron Fields—Yu. I. Bregadze, V. I. Karlashchuk, and P. F. Maslyaev 1287 255

A Three-Phase Oscillator Operating at a Frequency of 100 kHz—I. V. Yurkin and V. M. Ponizovskii 1287 255

A Signal-Characteristic Meter—V. A. Goizhevskii, L. D. Ogorodniichuk, N. I. Maglevannaya, and N. L. Padun 1288 256

A Phase-Frequency Response Meter—M. K. Chmykh, A. S. Glinchenko, M. M. Michurina, and V. M. Musonov 1289 257

A Radio-Signal Dispersion Spectrum Analyzer—V. A. Zhukov, A. M. Kiryukhin, L. P. Konovalova, V. V. Mikhailov, O. D. Moskalets, and G. K. Ul'yanov 1289 257

The IP-1 Three-Channel Electrometric Amplifier—B. I. Blazhkevich, V. Yu. Vorobkevich, O. L. Vaisberg, S. I. Klimov, V. E. Korepanov, and I. V. Rozhankovskii 1290 258

The VUS-2 Stabilized Input Device 1290 258

The RMS-2M High-Speed Panoramic Radio-Frequency Mass-Spectrometer—V. A. Kaplin and E. N. Svobodin 1291 259

The G-74 Instrument for Measuring the Intensity of a Constant Magnetic Field—G. G. Bychkov, O. I. Glinskaya, V. A. Markov, N. M. Semenov, S. A. Skorodumov, and L. M. Tret'yakov. 1292 259

A Digital Three-Component Ferroprobe Magnetometer—M. M. Kabanov, N. M. Semenov, S. A. Skorodumov, L. M. Tret'yakov, A. I. Fedorov, N. I. Yakovlev, and Yu. A. Yakovleva 1292 260

A Photoelectric Spectropolarimeter with a Two-Channel Signal-Storage System —G. V. Troitskii and I. V. Generalov 1293 261

An Optical Table with Magnetic Riders—Yu. I. Kolesov, V. N. Listvin, V. I. Mar'in, A. Ya. Smirnov, V. V. Storozhev, and A. A. Khokhlov 1293 261

The RÉVI-70 Rotational Rheoelectroviscosimeter—A. N. Sundukov, P. A. Ivanov, and S. N. Bisin 1294 262

The RSM-500 X-Ray Spectrometer-Monochromator—A. D. Vlasov 1295 262

The SRPP Circulation Proportional X-Ray Counters—A. D. Vlasov 1295 263

Volume 16, Number 5, Part 1 September-October, 1973

Multiplex Systems for Recording Particles (Review)—L. M. Soroko 1297 7

NUCLEAR EXPERIMENTAL TECHNIQUES

A Compact Pulsed Electron Accelerator with an Independent Power Supply—Yu. V. Afonin, A. G. Ponomarenko, R. I. Soloukhin, and Yu. I. Khapov 1310 20

Improving the Reliability of Cyclotron Operation—A. A. Nikitin, A. S. Nurbaev, and Ya. M. Uzakov 1313 22

Determination of the Parameters of the Microwave Path Which Will Ensure Stable Operation of a Microtron—S. F. Zhulinskii and A. R. Mirzoyan 1315 24

The Perturbation of the Magnetic Field of an Accelerator by a Metallic Vacuum Chamber —B. N. Zhukov and V. N. Lebedev 1318 26

A Device for Automatic Alignment of Targets—N. F. Khalin, V. Ya. Golovnya, V. M. Khvastunov, and N. G. Shevchenko 1323 29

A Pulsed Magnetic Quadrupole Lens without Salient Poles—S. V. Skachkov 1326 31

A Time-of-Flight Spectrometer with a Cold-Neutron Source—M. G. Zemlyanov, A. E. Golovin, S. P. Mironov, G. F. Syrykh, N. A. Chernoplekov, and Yu. L. Shitikov 1329 34

Calculation of the Stabilization Systems of Spectrometric Paths—A. K. Sheremet'ev 1334 38

The Use of a Hodoscope for Momentum Analysis of Particles in Magnetooptical Channels —A. P. Bugorskii, A. A. Derevshchikov, Yu. A. Matulenko, A. P. Meshchanin, S. B. Nurushev, V. S. Seleznev, V. V. Siksin, E. V. Smirnov, L. F. Solov'ev, V. L. Solov'yanov, and Yu. S. Khodyrev 1337 40
A Circuit for the Identification of Charged Particles—V. F. Kleimenov, B. S. Mazitov, G. A. Radyuk, and V. P. Yakushev 1341 44
A System for Performing Measurements of Mössbauer Spectra at Temperatures of 300-800°K—V. A. Chistyakov and N. G. Ivoilov 1344 46
Investigation of a Wide-Gap Spark Chamber with Grid Electrodes—V. A. Mikhailov, V. G. Matsaberidze, T. A. Lomtadze, and A. V. Struchalina 1347 48
The Characteristics of Wire Spark Chambers with Takeoff of Information onto Ferrite Rings —Yu. D. Karpekov, V. F. Konstantinov, G. P. Makarov, A. N. Prokhorov, V. A. Sergeev, Yu. N. Simonov, and V. P. Sugonyaev 1350 50
A Block of Distributed Resistors for Wire Spark Chambers—L. G. Vlasov, E. V. Grigor'eva, V. F. Konstantinov, V. T. Pavlov, A. N. Prokhorov, and Yu. N. Simonov 1353 53
The Procedure for Filmless Takeoff of Information from Wire Spark Chambers in a Powerful Magnetic Field—V. V. Vladimirskii, I. Ya. Korol'kov, N. V. Novikova, and V. N. Nozdrachev 1355 55
The Streamer Chamber of the "Resonance" Installation and the Servicing of Its System —V. F. Vishnevskii and A. A. Askarkhodzhaev 1357 57
On the Sensitivity of Counters with ^{3}He in Hydrogenous Media with an Air Gap —V. I. Bulanenko, V. V. Frolov, and V. V. Charychanskii 1360 59
The Intrinsic Resolving Time of Diamond Nuclear-Radiation Detectors—S. F. Kozlov and V. N. Likhosherstov 1363 61
Silicon Diodes with a Radiation Margin in the Mrad Region for Pulsed Dosimetry of Protons—I. M. Dmitrievskii, Ya. L. Kleinbok, V. K. Lapshin, M. F. Lomanov, K. A. Myagchenko, and V. V. Frolov 1365 63
Measurement of the Characteristics of Plastic Scintillators— É. A. Airapetov, V. V. Kulikov, A. A. Tashchyan, and V. Kh. Khaldybanov 1368 65
The Change in the Transparency of Scintillators Due to the Action of X-Ray pulses — V. D. Lyutin, G. P. Tochilovskii, and N. A. Uvarov 1371 67
The Joining of a Scintillator to a Lightguide— A. O. Agan'yants, G. Kh. Kazaryan, and A. G. Khudaverdyan 1374 69
The Intensity of the Light Flux Incident on a Photocathode from a Distant Scintillator — V. A. Mochkaev, V. V. Kuzyanov, and N. A. Uvarov 1375 70
Gas Fission-Fragment Scintillation Detectors— N. I. Kroshkin, G. A. Kormushkina, B. I. Starostov, and V. I. Shipilov 1378 72

ELECTRONICS AND RADIO ENGINEERING

An Optical Two-Way Device for Communication between Men and a Minielectronic Computer for Handling Spectrometric Information— V. M. Gryaznov and I. Tomik 1381 75
Control of a Linear Gas-Discharge Indicator for Monitoring a Buffer Memory— I. P. Skoletskii 1386 79
High-Speed Logical Circuits Based on Avalanche Transistors— V. P. D'yakonov and A. A. Sterlyagov 1389 81
A Transistor Switch— A. I. Efremov, A. L. Podmoshenskii, I. M. Pribylovskii, V. S. Petrov, and L. N. Gershun 1392 83
Series-Parallel Linear Switches Based on Integrated Elements— V. V. Marchenkov, T. I. Pavlova, and Yu. V. Tubol'tsev 1395 86
A Pulsed Electronic Switch that Remembers the Control Signal— B. G. Sharipov and V. A. Suslov 1398 88
A High-Speed Reversing Counter with Asynchronous Control— Yu. N. Artyukh, V. A. Bespal'ko, and V. Ya. Zagurskii 1402 91
An Analog Device for the Conversion of Short Time Intervals— E. A. Meleshko 1405 94
An Economical Semiconductor Measurement Circuit for a Scintillation Defectoscope —B. I. Kapranov 1408 97

Automatic System for the Stabilization of Photometric Paths – G. S. Dragun 1411 99
A High-Speed Circuit for Automatic Gain Control of Short-Pulse Light Signals for a Channel Containing a Photomultiplier – G. A Aver'yanov, I. N. Safronov, A. S. Voronov, and B. M. Savichev 1414 101
A Generator That Produces Powerful Pulses Using Gas-Discharge Commutators of the Triotron and Trioplasmatron Type – A. I. Vishnevskii, A I. Kuz'michev, V. I. Krizhanovskii, A. I. Soldatenko, and A. I. Shendakov 1417 104
A High-Voltage Pulse Generator – M. I. Kozlov 1420 106
A Generator for Shaping Single High-Voltage Nanosecond Pulses across an Unmatched Load – D. I. Proskurovskii and E. B Yankelevich 1423 108
A Generator for Starting Acoustic Chambers – V. N. Afanas'ev, O. N. Kryzhanovskii, P. I. Lebedev, V. I. Orel'chikov, and Yu. F. Tomashchuk 1427 111
A Two-Channel Generator Producing Rectangular Nanosecond Pulses – A. A. Litvinchuk and Yu. K. Basharkin 1430 114
Fluctuations of the Period of Function Generators in Pulse Vernier Converters – I. A. Malevich, Yu. I. Postoyanov, and A. F. Chernyavskii 1433 117
A Generator for High-Frequency Q-Switching of a Laser – G. V. Kolesov, V. B. Lebedev, V. L. Milovidov, O. V. Milyutin, and V S. Orlov 1436 120
A Generator That Produces Nanosecond Pulses for Supplying Light-Emitting Diodes – B. Yu. Baldin and Z Tsisek 1438 122
A Source of Reference Light Pulses Based on a TKh-4B Thyratron – A. A. Bragin and O. P. Bukhalo 1441 125
A High-Speed Shaper with a Follow-Up Threshold – S. G. Basiladze and V. Tlachala 1446 128
A Device Based on Integrated Circuits for Shaping Stable Length-Calibrated Voltage Pulses – V. P. Golovkov, V. K. Ivanov, A. I. Makarov, and S. S. Shikhmanov 1449 131
A Two-Channel Nanosecond Pulse Stretcher – B. K. Tsygankov, Z. V. Magrachev, V. A. Mezinov, and V. Ya. Egupov 1452 134

Volume 16, Number 5, Part 2 September-October, 1973

An Amplitude–Time Converter for Single Pulses – V. G. Ioffe and Yu. V. Pshenichnikov 1455 136
An Instrumentation Current Pulse Transformer for the Nanosecond Range – B. I. Ivanov and V. A. Miroshnichenko 1457 138
A Pulse-Group Quasiselector – S. G. Kornilova and N. S. Zaretskii 1461 141
A Discrete Filter – A. S. Matrenitskii 1464 143
A Pulse Amplifier with Discrete Automatic Gain Control – V. D. Dvornikov, V. M. Komarov, and L. I. Yudin 1467 145
A Broadband Low-Noise Preamplifier – V. P. Golovkov, V. V. Gorbatyuk, Yu. V. Zubritskii, and A. I. Makarov 1470 147
A Selective Amplifier with an Attenuation Pole – S. F. Glagolev, A. A. Buznikov, and A. E. Kovalev 1472 149
An Electrometer Amplifier Based on a Field-Effect Transistor and an Integrated Microcircuit – L. F. Berzin 1474 150
A Meter for Measuring Weak Alternating Currents – Yu. D. Krisilov, V. I. Startsev, and N. I. Tarasov 1476 151
A Synchronous Detector for a Low-Ohm Load – A. E. Kovalev, A. A. Buznikov, S. F. Glagolev, and A. M. Kel'man 1479 154
A Sinusoidal-Voltage Squarer-Modulator – M. V. Vladimirskii, E. P. Zelevich, and K. É. Érglis 1481 155
Instruments for Remote Control of Piezoelectric Transducers – V. M. Timofeev 1483 156

The Application of S1-39M and S1-60 Stroboscopic Oscilloscopes in the Investigation of Wave Parameters – L. N. Izgagin, A. Yu. Kazakov, and N. Z. Shvarts 1486 159
Automatic Measurement of Capacitances by Means of a Frequency Discriminator – Yu. S. Nakonechnyi 1488 160
An Installation for the Investigation of the Characteristics of Dissectors Operating in a Quantum-Count Mode – I. V. Reznikov, A. P. Tashkun, V. M. Tarasov, and S. S. Vetokhin 1491 162
Classification of Random Processes Using Their Structural Properties – A. I. Kundin, V. V. Teterin, and F. K. Grannikov 1494 164
Devices for Quasioptical Paths Using a Semiconductor Diode – G. G. Polovnikov and V. D. Bakhtin 1497 167
A Follow-Up Magnetometer – S. V. Verkhovskii and E. Yu. Medvedev 1500 170
A Low-Level High-Frequency Voltage Stabilizer – B. Z. Lubyanyi and A. P. Lebedenko 1503 172

GENERAL EXPERIMENTAL TECHNIQUES

The Use of "Ion Mirrors" in the MSKh-3A Time-of-Flight Mass Spectrometers – A. A. Sysoev 1505 174
AControlled Spark Gap with a Magnetic Field – A. I. Soldatenko, S. Sh. Zaidman, Yu. P. Khromoi, L. N. Shmyreva, and A. I. Shendakov 1508 177
The Cathode Section of a High-Voltage Electron Injector – L. A. Vainshtein and M. A. Vlasov 1511 179
A Valve for Pulsed Admission of Gas – P. E. Kovrov and M. I. Dmitruk 1512 180
Analysis of Electron-Ion Methods of Obtaining Pure Metal Films – V. P. Belevskii, L. N. Vakulenko, V. M. Koptenko, and V. I. Shpig 1514 182
The Restoration of Quartz Resonators That Are Used to Measure the Thickness and Rate of Vacuum Deposition of Thin Films – B. Sh. Berenshtein and V. S. Bobrikov 1518 185
A Two-Dimensional Analyzer of the Image of a Pulsed Radiation Source – A. A. Markov and Yu. V. Bleshanov 1519 186
A Pulsed CO_2 Laser Having an Increased Pressure with Preionization on the Cathode – V. Yu. Baranov, V. M. Borisov, and A. P. Strel'tsov 1522 188
A Converter Attachment Based on Solutions of Organic Dyes for the LTI-21 Batch-Manufactured Nitrogen Laser – M. V. Belokon' and A. N. Rubinov 1525 191
The Use of Lasers for High-Speed Motion Picture Photography of Fast Processes – S. V. Evdokimov, E. V. Nilov, and A. A. Chertkov 1528 193
A Laser Fabry–Perot Interferometer for Measurement of Plasma Density in a Nonstationary Stream – A. Kh. Kadymov 1531 196
A Simplified Version of Shift Interferometry – N. G. Vlasov and Yu. P. Presnyakov 1535 199
The "Picochron" – an Image Converter with a Subpicosecond Time Resolution – M. M. But-slov, S. D. Fanchenko, and R. V. Chikin 1538 202
A Measurement Radiation Receiver Based on the Thermoelastic Effect in Quartz – G. G. Ishanin and G. V. Pol'shchikov 1543 206
An Infrared-Optical Transducer – G. M. Zharkova, A. M. Orishich, A. G. Ponomarenko, and R I. Soloukhin 1545 208
An Installation with Mechanical Scanning for Recording the Spectra of Light Scattered by a Plasma – V. A. Aksenov, V. M. Eroshenko, A. A. Mushinskii, and L. N. Pyatnitskii 1547 210
An Optical Mechanical Device for the Deflection of a Light Beam – I. M. Kol'tsov, V. L. Mamaev, V. P. Mikheev, and B. S. Rozov 1550 213
A Magnetooptical Installation for Automatic Recording of the Magnetic Characteristics of Ferromagnets on Surface Microsectors in Static Magnetic Fields – V. G. Gass and I G. Saifulin 1552 215
An Experimental Stabilized Superconducting Magnet with an Inside Diameter of 700 mm – I. A. Vetlitskii, A. V. Belonogov, V. M. Dobrov, V. L. Krylov, A. V. Lebedev, G. S. Lomkatsi, A. F. Nilov, and V. T. Smolyankin 1555 217
A Capacitive Dynamic Magnetometer – A. M. Bisliev and S. A. Nikitin 1559 221

A Paraffin Thermostat for a Hall Pickup — V. I. Bykov and A. F. Linev 1562 223
Automatic Precision Control of the Thermal Mode in High-Pressure Devices — E. P. Stupakov and Yu. A Litvin 1564 225
An X-Ray Diffractometer for Investigating Substances in the Solid and Molten States — B. D. Antonov and G. V. Burov 1567 227
A Portable X-Ray Diffractometer for the Phase Analysis of Materials Having a Radiation Source Based on ^{55}Fe — V. I. Bochenin 1569 228
An X- Ray Cryogenic Chamber — A. A. Boiko, V. M. Ermakov, V. S. Medvedev, and V. B. Podolich 1571 230
Radiographic Determination of Deviations from Stoichiometry in Binary Compounds — L I. Freik, V. V. Voitkiv, D. M. Freik, and S. P. Oles'kiv 1573 232
An Installation for Investigating the Growth of Dislocation-Free Silicon Single Crystals from a Melt — N. I. Bletskan, L. E. Berezenko, G. M. Stepanova, and Yu. M. Shashkov 1575 234
A Microcalorimeter for Measurement of Specific Heat at a Temperature 80-300°K — V. M. Polovov and N. M. Gavrilov 1577 236
A Thermostat for Optical and Electrical Measurement in the 77-500°K Range — St. Kh. Petrov, K. I. Terziiski, and D. N. Popov 1580 238
A Simple Device for Obtaining Temperatures in the 4.2-300°K Range in the Presence of Considerable Heat Influx to the Sample — V. I. Silaev, A. I. Belyaeva, and M. M. Kotlyarskii . 1582 240
An Instrument for Ultrasonic Measurements at Low Temperatures — A. G. Denisov and V. B. Proskurin 1585 243
The Vacuum-Tight Gluing of Optical Windows Designed for Operation at Low Temperature — G. B. Gorlin 1588 245
The Use of VT-200 Glue for Low-Temperature Vacuum-Tight Joints — O. P. Anashkin and V. E. Keilin 1589 246
Measurement of a High Voltage by a Rotor Voltmeter Using an Insulated Electrode — M. T. Novikov 1591 247
A Low-Emf Measurement Commutator — Yu. G. Basin, Yu. A. Grits, and V. I. Isachenko 1593 248
Determination of the Dispersive Composition of Conducting Powders — Yu. F. Bydin and E. P. Martynov 1594 249
The Technology of Machining Plastic for the Lightguides of Scintillation Counters — A. E. Volkov, V. V. Gusev, and G. M. Kolachev 1596 251

ABSTRACTS

Express Spectrum Handling Program (ESHP). Block Diagram, Description of Procedures in the First Part of the Program (ESHP-1) — G. Ehler, P. M. Gopych, G. V. Vinel', W. Habenicht, and L. A. Vylova 1599 253
On the Width of Tracks of Multiply Charged Ions Which Are Stopped in an Emulsion — Yu. K. Kornev, A. A. Levkovskii, and V. I. Ostroumov 1601 254
A Scaling System Based on Integrated Microcircuits — A. F. Dunaitsev, Yu. V. Rodnov, and A. N. Sytin 1603 255

REVIEWS OF INSTRUMENTS

Recording of Broad Lines on a High-Resolution Nuclear Magnetic Resonance Spectrometer — S. P. Suleimanov 1605 256
A High-Voltage Current Stabilizer Based on Standard Blocks — E. L. Mikhailov, O. N. Kopanets, and A. R. Kukudzhanov 1607 257

NEW INSTRUMENTS

A Code Converter for Interfacing an ÉTsV-3 Digital Voltmeter with a Puncher — M. N. Kaidanovskii and A. A. Stotskii 1609 259
Unitized Block for a Stabilized Power Supply — L. S. Khurshudyan and V. P. Vukolov 1609 260
A Spectrum Analyzer for Laser Radiation at a Wavelength 10.6 μ — A. S. Osipov, G. A. Ponomarev, Yu. P. Maiboroda, V K. Batalin, V. G. Kurganov, and V. P. Vasilets . 1610 261

An Installation for Determining the Thermophysical Characteristics of Thermally Insulating Material — V. F. Barsukov, L. L. Vasil'ev, I. S. Desyukevich, Yu. M. Blimov, V. V. Senin, and A. D. Shnyrev 1611 261
The ÉVI-68-AD Electroviscosimeter for Continuous Measurement of Viscosity in a Stream — E. D. Devitsyn 1611 262
A Portable Device for Contact Microwelding — Yu. G. Basin, Yu. A. Grits, and V. I. Isachenko . 1612 262
A Hydrogen–Helium Portable Dewar Having a Capacity of 100 Liters with No Nitrogen Cooling — G. I. Borodin, L. M. Vasil'ev, Yu. P. Dmitrevskii, L. A. Zhadkevich, E. M. Kashtanov, Yu. M. Mel'nik, A. F. Prudkoglyad, V. V. Sytnik, and K. Z. Tushabramashvili 1612 263

Volume 16, Number 6, Part 1 November-December, 1973

The Application of Avalanche Triodes in Nuclear Electronics Circuits (Review) — L. E. Gavrilov . 1615 5

NUCLEAR EXPERIMENTAL TECHNIQUES

Device for Scanning a Cyclotron Beam — A. F. Linev and V. I. Sakhno 1628 18
Stabilization of the Acceleration Mode in a Microtron — V. M. Aleshin, S. F. Zhulinskii, A. T. Kudritskii, and A. R. Mirzoyan 1630 19
An Instrument for Measuring the Spatial Profile of Beams — V. V. Vishnyakov, N. I. Zhuravlev, V. I. Komarov, G. E. Kosarev, Nguyen Man Shat, and A. N. Sinaev 1632 21
A Pulsed-Ion Spectrometer — S. G. Mironov 1636 24
An Energy Analyzer for a Beam of Charged and Neutral Particles — L. G. Ol'dekop, E. N. Evlanov, B. V. Zubkov, Yu. V. Lebedev, and V. B. Leonas 1639 27
A Slow-Electron Spectrometer for Investigating the Surface of a Solid — O. M. Artamonov, B. B. Bolotov, V. D. Gelever, and M. V. Kremkov 1642 30
A Composite Cerenkov Total-Absorption Spectrometer — A. S Belousov, E. I. Malinovskii, S. V Rusakov, E. I. Tamm, and P. N. Shareiko 1645 33
A Universal Modular System of Spark Chambers — A. O. Agan'yants, G. A. Vartapetyan, G. Kh. Kazaryan, A. N. Lebedev, and A. G. Khudaverdyan 1648 35
A Telescope of Optical Spark Chambers for Measuring the Polarization of Protons — A. I. Derebchinskii, S. G. Tonapetyan, O. G. Konovalov, and A. É. Tenishev 1650 36
Properties of a Spark Chamber for Operation at a Frequency of up to 100 Hz — A. V. Aref'ev, G. A. Leksin, D. A. Suchkov, and V. B. Fedorov 1653 39
Analysis of the Electromagnetic Drift of Sparks in a Spark Chamber — I. A. Dukhovskoi and I. A. Radkevich 1655 40
Investigation of a Streamer Chamber Containing Xenon — É. S. Belyakov, M. P. Lorikyan, K. Zh. Markaryan, and K. K. Shikhlyarov 1659 43
Recording Alpha-Particles in Cellulose Triacetate — Dzh. Abdullaev, Kh. Murtazaev, V. P. Perelygin, and G. Ya. Umarov 1662 45
Helium Geiger–Müller Counters for Recording Slow Neutrons — V. I. Goleva, A. B. Dmitriev, É. M. Tsenter, and V. G. Chaikovskii 1665 48
A Counter with a Scintillator Having a Large Area and a Lightguide Made of Braided Strips — N. P. Budanov, B. B. Govorkov, V. G. Dolgalev, N. G. Kotel'nikov, E. V. Minarik, V. P. Plaksin, and V. I. Sergienko 1668 50
The Spectrometric Parameters of CsI(Tl) and CsI(Na) Crystals — O. P. Sobornov and O. P. Shcheglov 1671 53
Investigation of Radiation Durability of Surface-Barrier dE/dx Detectors for Irradiation by Multiply Charged Ions — M. É. Kaganskaya, A. V. Kolodin, and M. A. Sychkov 1674 55
The Recording of Nuclear Radiations by Rectifier Photocells — S. I. Avdonkin, A. V. Sidorenko, V. V. Sidorenko, and V. V. Soroka 1676 57
The Use of One Amplitude Differential Discriminator for the Simultaneous Measurement of the Radioactivity of Several Samples — V. Z. Khait and A. I. Shlyukov 1681 60

ELECTRONIC AND RADIO ENGINEERING
A System of Time Analyzers for the Nanosecond Range — A. A. Silaev 1683 62
Input of Information Recorded in Analog Form on a Magnetic Tape into the BÉSM-4 Computer — N. M. Bondarenko, S. F. Zagorodnii, V. I. Kaevitser, and G. M. Petrov 1686 64
A Device for On-Line Input of Graphical Information — V. A. Vul', V. M. Omelin, and L. F. Roshal' 1689 67
A Device for Converting Codes from the Binary System to the Binary-Decimal System in the "CAMAC" Standard — I. F. Kolpakov, N. M. Nikityuk, and L. A. Urmanova 1693 70
Nuclear-Electronic Blocks Based on Integrated Circuits — V. M. Aul'chenko and Yu. V. Korshunov 1698 75
A Reversing Counting Decade Based on Integrated Circuits Which Have Digital Display — Yu. M. Veshkurtsev and A. Yu. Petrov 1701 78
A Stable Threshold Circuit — P. M. Levchenko, V. V. Marchenkov, and V. N. Slyusar' 1704 80
An Integral Amplitude Discriminator Shaper — L. A. Ponomarev 1706 82
A Transistorized Shaper That Produces Start—Stop Pulses — E. N. Belov and V. M. Barbasov 1709 84
A Tacitron Oscillator for Shaping Rectangular Voltage Pulses across a Capacitive Load — V. D. Dvornikov, S. T. Latushkin, L. I. Yudin, and V. M. Komarov 1712 87
A Vacuum Spark Gap with Laser Firing — A. A. Makarevich and V. A. Rodichkin 1716 90
Sweep Generator for a Double Image Converter — E. L. Kondrat'ev and A. A. Semenov 1718 92
A Recirculation Generator with an Optical Delay Line — V. N. Vishnevskii, I. A. Kobak, and A. F. Shilov 1720 93
A Programming Pulse Generator Based on Integrated Circuits — An. F. Arkhipenko, V. P. Avdeev, and A. F. Arkhipenko 1722 95
A Transistorized Broadband Amplifier with Deep Negative Feedback — V. M. Gutkin, L. F. Ryabkov, and V. N. Serov 1724 97
Broadband Followers Based on Bipolar Transistors and Metal-Oxide-Semiconductor Transistors — V. P. D'yakonov and A. A. Sterlyagov 1727 99
A Functional Attenuator with Digital Control — G. N. Solov'ev and V. N. Erykalov 1729 101
A Controlled Phase Shifter Based on Field-Effect Transistors — V. I. Kostenko 1731 102
A Magnetooptical Electrical-Signal Frequency Multiplier — Yu. A. Kuznetsov and V. D. Tron'ko 1733 104
A Linear Converter That Converts an Alternating Voltage into a Direct Voltage — R. N. Danielyan, M. S. Garibyan, and G. A. Airiyan 1736 106

Volume 16, Number 6, Part 2 November-December, 1973

A Differential Self-Compensating Electrometer — A. A. Gayanov 1739 108
An Analog Device for Dividing Two Voltages — V. I. Voronin 1741 109
A Compensated Shunt for Measurement of Powerful Nonstationary Currents — A. P. Baikov, L. S. Gerasimov, and A. M. Iskol'dskii 1744 112
Measurement of the Characteristics of Grid Filters for Submillimeter Radiation by Means of a Polarized Michelson Interferometer — F. F. Igoshin, A. P. Kir'yanov, V. V. Mozhaev, M. A. Tulaikova, and A. A. Sheronov 1746 113
A Control Current Stabilizer for the Electromagnet of a Radiospectrometer — V. D. Prozorovskii . . 1749 115

GENERAL EXPERIMENTAL TECHNIQUES
An Installation for Achieving and Studying the Growth Processes of Thin Films — N. S. Korol'kov, I. M. Kotelyanskii, A. Yu. Mityagin, V. V. Panteleev, and E. A. Tarasov 1752 118
A Pressed Porous Nickel Oxide Cathode — K. P. Rybas, V. K. Pavlov, and B. N. Telepaev 1756 121
The Technology of the Fabrication of Multiemitter Cold Cathodes — B. V. Okulov, I. Z. Gleizer, and L. P. Dronova 1759 124
A Palladium Filter for Hydrogen and Deuterium — A. V. Mitrofanov 1761 126
A Leak Simulator for Calibrating Helium Leak Detectors during Tests by the Probe Method

—I. G. Baryshnikova, A. I. Evlampiev, L. E. Levina, and V. V. Pimenov	1763	128
Comparison of the Characteristics of Electron Multipliers with Louvered and Continuous Dynodes —M. R. Ainbund, V. G. Kovalenko, and B. V. Polenov	1765	130
Parameters of an FÉU-110 Photomultiplier in the Spectrometric Mode—O. P. Sobornov and O. P. Shcheglov	1768	132
Characteristics of a VÉU-1 Secondary-Electron Multiplier for Recording of Low-Energy Electrons—V. G. Kovalenko and B. V. Polenov	1771	135
A Laser Based on an Organic Dye—V. A. Alekseev, N. P. Kozlov, and Yu. S. Protasov	1774	137
A Heterodyne Laser Interferometer with an Acousto-Optical Modulator—A. F. Levites and V. I. Teleshevskii	1776	139
Measurement of the Angular Divergence and Transverse Intensity Distribution of Radiation from a CO_2 Laser—I. F. Burmatov, L. S. Vasilenko, and A. V. Shishaev	1779	141
Determination of the Resolving Power of Spectral Instruments by Means of Gas Lasers —A. P. Devyatilov, V. N. Puchkov, and A. K. Toropov	1782	143
A Device for Measuring the Temperature of High-Temperature Gas-Discharge Heating Sources —V. G. Roskoshnyi	1784	145
High-Temperature Source of Blackbody Radiation for Calibrating Spectroscopic and Radiometric Instruments—S. M. Chernin	1788	148
An Automatic Ellipsometer—A. L. Dmitriev and V. A. Trofimov	1792	151
Shadow Method Based on a Photochromic Knife and a Slit—D. L. Zelikson and A. M. Trokhan	1794	152
A Compact Magnetic-Field-Pulse Generator—I. I. Ushakov	1797	154
Cooling of Solenoids—A. F. Kivshik and L. I. Get'man	1800	156
An Installation for Compression of Gases—M. D. Bondarenko	1802	158
A Pressure Pickup—Yu. M. Straume and A. P. Ubelis	1804	159
Method of Increasing the Hydrostaticity of the Compression at Low Temperatures in Fixed-Pressure Bombs—N. B. Brandt, S. V. Kuvshinnikov, N. Ya. Minina, and E. P. Skipetrov	1805	160
Equipment for Investigating Nuclear Quadrupole Resonance Spectra at High Pressures —D. B. Balashov and D. A. Ikhenov	1808	163
A Circuit for Remote Control of a Three-Electrode X-Ray Tube with a Grounded Anode —G. M. Zakharov, P. A. Rodnyi, and G. V. Yagov	1812	166
Automatic Correction of the Angle of Incidence for X-Ray Diffraction Topography of Bent Single-Crystal Plates—G. F. Kuznetsov, B. V. Ganichev, and S. G. Orlov	1814	169
Parameters of a Wall-Less Ionization Chamber for Measurement of Low Dosage Powers of Low-Energy X Radiation—G. N. Antipenkova, Yu. I. Bregadze, and N. I. Muratov	1817	171
Method of Shielding Cryogenic Surfaces from Contamination by Solidified Gases for Use in a Hydrogen Bubble Chamber—E. I. D'yachkov and A. G. Zel'dovich	1820	174
Investigations of the Short-Term Dielectric Strength and Service Lives of Lavsan Insulation under Cryogenic Conditions—N. G. Anishchenko and V. F. Minein	1823	176
Measurement Cells for Calvet Calorimeters—O. S. Galyuk, V. I. Kukushkin, and K. N. Firyulin	1826	179
A Thin-Film Adsorption Humidity Sensor—V. A. Kotel'nikov and Yu. I. Petrov	1829	182
Fabrication of a Luminescent Screen for Measurement of the Profiles of Charged-Particle Beams—L. Ya. Zhil'tsova, A. A. Larin, and M. D. Shafranov	1831	184
An Attachment for Grinding Flat Samples without the Use of Glue—D. K. Magnitskii	1833	186
ABSTRACTS		
Spectrometry of Gamma and X Radiation by Means of Thermoluminescent Detectors —K. M. Kudelin	1834	187
Investigation of the Transfer of the Energy of Ionizing Radiations in Scintillators Based on Polystyrene by the One-Photon Method—N. G. Volkov, O. A. Gunder, V. K. Lyapidevskii, and S. D. Chigir'	1836	188
System for Automatic Collection and Recording of Information in Monochromatic Submillimeter Spectroscopy—V. P. Bystrov, G. V. Kozlov, and V. I. Pelipenko	1838	189
REVIEWS OF INSTRUMENTS		
Output of Amplitude Spectra from an AI-256 Analyzer into a V-112 Puncher —V. V. Farnakeev, V. A. Pitkevich, and V. G. Videnskii	1840	191
Pulse Generator for a Thin-Echo Nuclear Magnetic Resonance Relaxometer		

— V. M. Zagainov, A. M. Zharkov, V. S. Matochkin, and M. I. Emel'yanov 1842 192
Laboratory Magnetic-Induction Meter — V. V Goryunov, V. N. Pashkov, and F. M. Trubchaninov 1845 195
Accelerating the Actuation of an Electromagnet — V. M. Katsman 1846 196
Use of the VA-V-100 and VA-G-120 Semiconductor Blocks for Recording Intensity in X-Ray Diffractometers — N. I. Sergeev, V. D. Krylov, and N. V. Alekseev 1848 197
A Recording Twin-Wave Spectrophotometer with a Corrected Zero Line Based on an SF-4 Instrument — Yu. B. Vymorkov, E. I. Kotov, and I. L. Yatovt 1850 198

NEW INSTRUMENTS

A Counter for Counting Tritium in Air — M. I. Balonov, E. I. Dolgirev, Yu. N. Sokolov, V. V. Timofeev, and V. A. Chizhevskii 1852 200
The 2323-01 Radiometer for Gases 1853 201
The RA-12S-1M Aerosol Radiometer 1853 201
The DRGZ-1 Dosimeter 1854 202
A Compact Converter for Multichannel Nonintersecting Graphs — T. A. Aliev and A. N. Kolesnikov 1854 202
A Linear Direct Current—Frequency Converter — O. I. Glinskaya, M. M. Kabanov, V. A. Markov, N. M. Semenov, S. A. Skorodumov, A. M. Tret'yakov, A. I. Fedorov, and N. I. Yakovlev 1855 203
A Tester for Checking Integrated Logical Microcircuits — Yu. V. Troitskii and V. N. Khaletskii 1855 203
A Tester for Checking Integrated Operational Amplifiers — Yu. V. Troitskii and V. N. Khaletskii 1856 204
A DC Amplifier — A. P. Kulinich and V. P. Alekseev 1856 204
An Instrument for Determining a Differential Distribution Law — B. A. Verklov, S. I. Zaitsev, and Yu. A. Berezhko 1857 205
An Installation for Investigating Quartz Resonators for Inertial Influences — A. G. Reshetov, G. M. Kuz'michev, and Yu. I. Morgunov 1857 205
A Submillimeter Gas Radio-Spectroscope — S. P. Belov, A. V. Burenin, L. I. Gershtein, E. N. Karyakin, V. V. Korolikhin, and A. F. Krupnov 1858 206
An Inertialess Brightness Meter — A. V. Astvatsaturov, I. L. Zel'manovich, and L. B. Krasil'shchikov 1859 207
A Semiautomatic Visual Micropyrometer — D. M. Shcherbina, G. Ya. Bubel', P. G. Valuiskii, L. F. Grigorenko, V. A. Kozak, N. I. Profatilova, and A. M. Shkirmanov 1859 207
An Electroviscosimeter for High-Temperature Viscosity Measurements — E. D. Devitsyn and P. A. Ivanov 1860 208
Instrument for Measuring the Surface Density of Charges on Electrets — G. M. Kuz'michev and E. M. Baboshin 1861 209
An Electrostatic-Potential Indicator — A. A. Mis'nik and V. A. Mis'nik 1861 209

INDEX

Author Index, Volume 16, Numbers 1-6, 1973 1865
Tables of Contents, Volume 16, Numbers 1-6, 1973 1877

92
95
96
97
98
200
201
201
202
202
203
203
204
204
205
205
206
207
207
208
209
209